

# Standard

## Low Earth Orbit Spacecraft Charging Design Standard Requirement and Associated Handbook

### American National Standard

AIAA standards are copyrighted by the American Institute of Aeronautics and Astronautics (AIAA), 1801 Alexander Bell Drive, Reston, VA 20191-4344 USA. All rights reserved.

AIAA grants you a license as follows: The right to download an electronic file of this AIAA standard for storage on one computer for purposes of viewing, and/or printing one copy of the AIAA standard for individual use. Neither the electronic file nor the hard copy print may be reproduced in any way. In addition, the electronic file may not be distributed elsewhere over computer networks or otherwise. The hard copy print may only be distributed to other employees for their internal use within your organization.



# American National Standard

## Low Earth Orbit Spacecraft Charging Design Standard Requirement and Associated Handbook

### **Sponsored by**

American Institute of Aeronautics and Astronautics

### **Approved September 2013**

American National Standards Institute

### **Abstract**

This standard presents an overview of the current understanding of the various plasma interactions that can result when a high-voltage system is operated in the Earth's ionosphere, references common design practices that have exacerbated plasma interactions in the past, and recommends standard practices to eliminate or mitigate such reactions.

## American National Standard

Approval of an American National Standard requires verification by ANSI that the requirements for due process, consensus, and other criteria have been met by the standards developer.

Consensus is established when, in the judgment of the ANSI Board of Standards Review, substantial agreement has been reached by directly and materially affected interests. Substantial agreement means much more than a simple majority, but not necessarily unanimity. Consensus requires that all views and objections be considered, and that a concerted effort be made toward their resolution.

The use of American National Standards is completely voluntary; their existence does not in any respect preclude anyone, whether he has approved the standards or not, from manufacturing, marketing, purchasing, or using products, processes, or procedures not conforming to the standards.

The American National Standards Institute does not develop standards and will in no circumstances give an interpretation of any American National Standard. Moreover, no person shall have the right or authority to issue an interpretation of an American National Standard in the name of the American National Standards Institute. Requests for interpretations should be addressed to the secretariat or sponsor whose name appears on the title page of this standard.

**CAUTION NOTICE:** This American National Standard may be revised or withdrawn at any time. The procedures of the American National Standards Institute require that action be taken to affirm, revise, or withdraw this standard no later than five years from the date of approval. Purchasers of American National Standards may receive current information on all standards by calling or writing the American National Standards Institute.

Published by  
**American Institute of Aeronautics and Astronautics**  
**1801 Alexander Bell Drive, Reston, VA 20191**

Copyright © 2013 American Institute of Aeronautics and  
Astronautics  
All rights reserved

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without prior written permission of the publisher.

Printed in the United States of America

ISBN 978-1-62410-246-2

## Contents

Foreword .....	v
Introduction .....	vii
Trademarks .....	vii
1 Scope.....	1
1.1 Purpose .....	1
1.2 Applicability.....	1
2 Tailoring.....	2
3 Applicable Documents.....	2
3.1 General.....	2
3.2 Government and International Documents.....	2
3.3 Nongovernment Documents.....	3
3.4 Order of Precedence .....	3
4 Vocabulary.....	3
4.1 Acronyms and Abbreviated Terms .....	3
4.2 Terms and Definitions.....	5
5 Requirements .....	14
5.1 General LEO Standard Requirements .....	14
6 Reference Documents Guidance for LEO Spacecraft Charging Design and Test Practices ..	18
Annex A Overview of Plasma Interactions (Informative).....	19
A.1 Poisson Equation.....	19
Annex B Environments (Informative) .....	20
B.1 The Ambient Environment.....	20
Annex C Plasma Interactions (Informative).....	23
C.1 Exposed High-Voltage Conductors .....	23
C.2 Current Collection .....	23
C.3 Arcing.....	30
Annex D Mitigation Techniques (Informative) .....	45
D.1 Current Collection .....	45
D.2 Controlling Spacecraft Potential .....	46
D.3 Vented Enclosures .....	48
D.4 Arcing.....	48

Annex E	Modeling (Informative) .....	51
E.1	Spacecraft Charging .....	51
E.2	Arcing .....	52
Annex F	Testing (Informative) .....	53
Annex G	Bibliography .....	54

## Figures

C.1 — Electron current versus bias for three solar array blanket materials .....	28
C.2 — Peak arc current versus capacitance .....	31
C.3 — Arc rate versus voltage for standard interconnect cells .....	34
C.4 — Typical waveform for an arc .....	36
C.5 — Sample of flight array from ESA EURECA mission after sustained arcing .....	37
C.6 — Video frame from EOS-AM1 sustained arc test .....	38
C.7 — Arc site of sustained arc on EOS-AM1 sample array .....	39
C.8 — The end of the remaining TSS-1R tether .....	40
C.9 — Anodized aluminum plate after repeated arcing .....	40
C.10 — EMI from a small solar array arc and a hypothetical ISS anodized aluminum arc compared to Orbiter's specifications .....	41
D.1 — Voltage breakdown of pure gases as a function of pressure times spacing .....	46
E.1 — An EWB contour plot of ISS potentials .....	52

## Tables

1 — Differences between good GEO and LEO design practices .....	2
B.1 — Nominal properties of ionospheric layers .....	21
C.1 — Leakage current from positively charged solar arrays .....	29

## Foreword

This document is based on the low Earth orbit (LEO) Spacecraft Charging Design Guidelines (Ferguson and Hillard, 2003), and the National Aeronautics and Space Administration (NASA) Low Earth Orbit Spacecraft Charging Design Standard [NASA-STD-(I)-4005 (2006) and NASA-STD-4005 and NASA-HDBK-4006 (2007)] and has the same authors, Ferguson and Hillard, as those documents. It is the first American National Standard in its subject area and thus does not cancel or replace any other American National Standard in whole or in part. Only minor technical changes and updates distinguish the present standard from NASA-STD-(I)-4005. The present standard deals only with surface charging in LEO environments. In particular, this standard is not intended to replace NASA TP-2361, which is applicable to geosynchronous Earth orbit (GEO) plasma environments, or NASA-HDBK-4002, which deals only with deep dielectric charging. NASA-HDBK-4002A, which covers only charging environments outside of equatorial LEO and deep-dielectric charging, is also not to be replaced by this document. In this document, all of the Annexes are only informative. The only requirements in this standard are in Section 5 (Requirements).

At the time of approval, the members of the AIAA Atmospheric and Space Environment Committee on Standards Working Group for Low Earth Orbit were:

Henry Garrett, Chair	Jet Propulsion Laboratory
Michael Bodeau	Northrop Grumman Aerospace Systems
Dale Ferguson	NASA Marshall Space Flight Center
Dale Johnson	Retired
Justin Likar	Lockheed Martin Space Systems
Kent Tobiska	Space Environment Technologies
William Vaughan	University of Alabama, Huntsville
Albert Whittlesey	Jet Propulsion Laboratory
John Wise	Air Force Research Laboratory

The above consensus body approved this document in July 2013.

The AIAA Standards Executive Council (VP-Standards Laura McGill, Chairperson) accepted the document for publication in August 2013.

The AIAA Standards Procedures dictates that all approved standards, recommended practices, and guides are advisory only. Their use by anyone engaged in industry or trade is entirely voluntary. There is no agreement to adhere to any AIAA standards publication and no commitment to conform to or be guided by standards reports. In formulating, revising, and approving standards publications, the committees on standards will not consider patents that may apply to the subject matter. Prospective users of the publications are responsible for protecting themselves against liability for infringement of patents or copyright, or both.

## Introduction

The purpose of this document and information handbook is to provide design standard requirements for high-voltage space power systems ( $>55$  V) that operate in the plasma environment associated with LEO (altitude between 200 km and 1000 km, and latitude between  $-50$  degrees and  $+50$  degrees). Such power systems, particularly solar arrays, are the proximate cause of spacecraft charging in LEO, and these systems can interact with this environment in a number of ways that are potentially destructive to themselves and to the platform or vehicle that has deployed them. This document is also applicable to satellites during the lower latitude portion of polar orbits and to GEO satellites during the initial low altitude portion of their geostationary transfer orbit.

This document represents the technical consensus of the spacecraft charging community. Systems designers need a standard to show them how to mitigate the spacecraft charging effects of using high voltages in LEO. In addition to system designers, this document should be useful to project managers, solar array designers, system engineers, etc.

This document is intended as a standard for design applications and can be used as a requirements-specification instrument.

## Trademarks

The following commercial products that require trademark designation are mentioned in this document. This information is given for the convenience of users of this document and does not constitute an endorsement. Equivalent products may be used if they can be shown to lead to the same results.

Kapton (a registered trademark of du Pont de Nemours and Company)



# 1 Scope

This document and information handbook presents an overview of the current understanding of the various plasma interactions that can result when a high-voltage system is operated in the Earth's ionosphere. This document is also applicable to satellites during the lower latitude portion of polar orbits and to GEO satellites during the initial low altitude portion of their geostationary transfer orbit.

It references common design practices that have exacerbated plasma interactions in the past, and recommends standard requirements and practices to eliminate or mitigate such reactions.

## 1.1 Purpose

The purpose of this standard is to provide the requirements for a design standard for high-voltage space power systems (>55 V) that operate in the plasma environment associated with LEO (altitude between 200 km and 1000 km and latitude between -50 degrees and +50 degrees). Such power systems, particularly solar arrays, are the proximate cause of spacecraft charging in LEO. These systems can interact with this environment in a number of ways that are potentially destructive to themselves and to the platform or vehicle that has deployed them.

High-voltage systems are used in space for two reasons. The first is to save launch weight. High-voltage systems are often used as a means to reduce mass and increase efficiencies by reducing power line  $I^2R$  losses. High-voltage systems are also used in space because some spacecraft functions require high voltages. For example, electric propulsion uses voltages from about 300 V (Hall thrusters) to about 1000 V (ion thrusters). For low-voltage power systems, conversion of substantial power to high voltages is required for these spacecraft functions to operate. The weight of the power conversion systems, power management and distribution (PMAD), can be a substantial fraction of the total power system weight in these cases. It is more efficient, and can save weight, if the high-voltage functions can be directly powered from a high-voltage solar array, for instance. If the high-voltage function is electric propulsion, then we call such a system a direct-drive electric propulsion system.

These two reasons and others are causing spacecraft designers and manufacturers to use high voltages more and more. However, doing so entails risk; in particular, spacecraft charging in LEO, in contrast to that in GEO, is caused by exposed high voltages and can lead to arcing, power drains, power disruptions, and loss of spacecraft coatings. Thus, system designers need a standard to show them how to mitigate the spacecraft-charging effects of using high voltages in LEO. In addition to system designers, this document should be useful to project managers, solar array designers, system engineers, etc.

This document is intended to provide requirements and associated best practices for design applications and can be used as a requirements-specification instrument.

## 1.2 Applicability

The contents of this document are applicable to high-voltage space power systems that operate in the plasma environment associated with LEO. This standard is intended for space systems that spend the majority of their time at altitudes between 200 km and 1000 km (usually known as LEO applications) and at latitudes between about -50 degrees and +50 degrees—that is, space systems that do not encounter GEO charging conditions, that do not (often) encounter the auroral ovals of electron streams, and that do not fly through the Van Allen belts. For the extreme radiation protection that is necessary for orbits in the Van Allen belts, exterior spacecraft charging will likely be a secondary concern. However, internal charging will be very important. It is not in the purview of this document to deal with internal charging.

Some of the design standards for LEO are at variance with good design practice for GEO spacecraft. If your spacecraft will fly in both LEO and GEO conditions, then be careful to use design solutions that are applicable in both environmental regimes.

Table 1 (Ferguson and Brandhorst, 2012) illustrates some of the differences between good GEO and LEO design practices.

Table 1 — Differences between good GEO and LEO design practices

Good GEO Practices	Good LEO Practices
Grounded conductive coatings on solar cells.	Closely spaced cells with large coverglass overhang.
Negatively grounded power system.	Positively grounded power system.
Low inter-string voltages (< 60 V).	Low string voltages (< 100 V).
Grouting between cells of high inter-string voltage.	Encapsulation of array conductors, but beware of Paschen discharge.
Grounded conductive coatings on entire spacecraft body.	Dielectric surfaces on entire spacecraft body.
Spacecraft surfaces with high secondary electron emission and low photoemission.	Careful attention to materials thicknesses near points of high electric field.
Use a good GEO spacecraft charging code (i.e., Nascap-2K).	Use a good LEO spacecraft charging code (i.e., Nascap-2K).

## 2 Tailoring

When viewed from the perspective of a specific program or project context, the requirements defined in this standard may be tailored to match the actual requirements of the particular program or project. Tailoring of requirements shall be undertaken in consultation with the procuring authority where applicable.

This standard may be cited in contract, program, and other documents as a technical requirement. Mandatory requirements are indicated by the word “shall.” Tailoring of this standard for application to a specific program/project shall be approved by the technical authority for that program/project.

## 3 Applicable Documents

The following documents contain provisions that, through reference in this text, constitute provisions of this standard. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this standard are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies.

### 3.1 General

The documents listed in this section contain provisions that constitute requirements of this standard as cited in the appendices. The latest issuances of cited documents shall be used unless otherwise approved by the assigned Technical Authority.

### 3.2 Government and International Documents

Dunbar, W. G., “Design Guide: Designing and Building High Voltage Power Supplies, Materials Laboratory,” A. F. Wright Aeronautical Laboratories, A. F. Systems Command, Wright Patterson A. F. Base, OH, AFWAL-TR-88-4143, Vol. II, August 1988.

NASA-HDBK-4001 Electrical Grounding Architecture for Unmanned Spacecraft, issued February 17, 1998.

NASA-STD-4005 Low Earth Orbit Spacecraft Charging Design Standard, issued June, 2007.

NASA-HDBK-4006 Low Earth Orbit Spacecraft Charging Design Handbook, issued June, 2007.

NASA-HDBK-4002A Mitigating In-Space Charging Effects - A Guideline, issued 2011.

ISO 11221 Space systems — Space solar panels — Spacecraft charging induced electrostatic discharge test methods, issued August, 2011.

### 3.3 Nongovernment Documents

ASTM D257-61 Standard Test Methods for DC Resistance or Conductance of Insulating Materials, issued October 10, 1999. This standard is not widely used in the spacecraft charging community, as it employs a 60-second measurement time, which is inadequate for the large resistances typical of spacecraft dielectric materials, and is inadequate for use for space materials because it performs measurements in Earth-atmosphere ambient conditions (temperature and humidity). The annex to ASTM D257-61 indicates how humidity variations can affect measured resistivity by orders of magnitude. The major area of concern for terrestrial electronics is high-humidity/high-leakage conductance, whereas the major area of concern for space operation is zero humidity and outgassed dielectrics, with their possible much higher resistivity.

### 3.4 Order of Precedence

In the case of conflict, the technical requirements of this standard take precedence over the technical requirements cited in the applicable documents or referenced guidance documents.

## 4 Vocabulary

### 4.1 Acronyms and Abbreviated Terms

AC	alternating current
AIAA	American Institute of Aeronautics and Astronautics
AO	atomic oxygen
ANSI	American National Standards Institute
APSA	Advanced Photovoltaic Solar Array
ASME	American Society of Mechanical Engineers
ASTM	American Society of Testing and Materials
BSR	Bureau of Safety and Regulation
CHAWS	Charging Hazards and Wake Studies
DC	direct current
EMI	electromagnetic interference
EMU	Extra-vehicular Maneuvering Unit (spacesuit)
EOS-AM1	Earth Observing System—Morningside 1 (now named Terra)
ESA	European Space Agency
ESD	electrostatic discharge
EURECA	European Retrievable Carrier
EUV	extreme ultraviolet
EVA	Extra-vehicular Activity (spacewalk)
EWB	Environments WorkBench

FEF	field enhancement factor
FPP	floating potential probe
GEO	geosynchronous Earth orbit
GRC	Glenn Research Center
IRI	International Reference Ionosphere
ISS	International Space Station
ITAR	International Traffic-in-Arms Regulations
JAXA	Japan Aerospace Exploration Agency
LEO	low Earth orbit (for the purposes of this document, between 200 km and 1000 km altitude and between –50 degrees and +50 degrees latitude)
LeRC	Lewis Research Center (now GRC)
MET	Marshall Engineering Thermosphere
MSFC	Marshall Space Flight Center
MSIS Model	mass spectrometer incoherent scatter model
NASA	National Aeronautics and Space Administration
NASCAP	NASA/Air Force Spacecraft Charging Analyzer Program
Nascap-2k	Most up-to-date version of NASCAP
PAS-6	Commercial communications satellite owned by PamAmSat (now part of Intelsat), designed and built by Space Systems/Loral
PASP Plus	Photovoltaic Array Space Power Plus Diagnostics
PC	personal computer
PCU	plasma contactor unit
PIX-II	Plasma Interactions Experiment-II
PMAD	power management and distribution
PMG	Plasma Motor Generator
ProSEDS	Propulsive Small Expendable Deployer System
RCS	Reaction Control System (attitude thrusters)
RTV	Room Temperature Vulcanized-rubber
SAIC	Science Applications International Corporation
SAMPIE	Solar Array Module Plasma Interactions Experiment
SPENVIS	Space Environment Information System
TSS-1R	Tethered Satellite System—first reflight
UV	ultraviolet

## 4.2 Terms and Definitions

For the purposes of this document, the following terms and definitions apply (they are based largely on AFWAL-TR-88-4143, Volume II):

### **Aging**

change in properties of a material with time under specific conditions

### **Anode**

electrode through which a positive direct current (DC) enters the liquid, gas, or other discrete part of an electrical circuit; the positively charged pole of an electrochemical cell

### **Arc**

a low voltage, self-sustaining discharge between cathode and anode surfaces

### **Arc-site**

the place where an arc initiates or is presently located

### **Arc-over voltage**

minimum voltage required to create an arc between electrodes separated by an insulating medium under specified conditions

### **Blowoff current**

the release of charge and/or charged material having the net effect of neutralizing a spacecraft to the surrounding plasma potential (see Flashover)

### **Breakdown (puncture)**

disruptive discharge through an insulating medium

### **Breakdown voltage**

voltage at which the insulation between two conductors fails

### **Capacitance (capacity)**

that property of a system of conductors and dielectrics that permits the storage of electricity when potential difference exists between the conductors; the ratio of the charge on one of the conductors of a capacitor to the potential difference between the conductors.

NOTE: There will be an equal and opposite charge on the other conductor.

### **Capacitor (condenser)**

device whose primary purpose is to introduce capacitance into an electric circuit

### **Cathode**

electrode through which an electric current leaves a liquid, gas, or other discrete part of an electric circuit; the negatively charged pole of an electrochemical cell

### **Cell**

single unit capable of serving as a DC voltage source by transfer of ions in the course of a chemical reaction

## **Charge**

in electrostatics, the amount of electricity (coulombs) present upon any substance that has accumulated electric energy

## **Conductance**

reciprocal of resistance; the ratio of current passing through a material to the potential difference at its ends

## **Conductivity**

reciprocal of resistivity

## **Conductor**

electrical path that offers comparatively little resistance; a wire or combination of wires that are not insulated from each other and that are suitable for carrying a single electric current

## **Contaminant**

impurity or foreign substance present in or on a material and affecting one or more properties of the material

## **Corona**

non-self-sustaining discharge (sometimes visible) due to ionization of the gas surrounding a conductor in the presence of a voltage gradient exceeding a certain critical value for a gaseous medium

## **Corona resistance**

time that insulation will withstand a specified level of field-intensified ionization that does not result in the immediate complete breakdown of the insulation

## **Coverglass or coverslide**

layer (usually of glass) that covers a semiconductor solar cell or array to prevent radiation damage

## **Critical voltage (of gas)**

voltage at which a gas ionizes and corona occurs, preliminary to dielectric breakdown of the gas

## **Debye Length**

the distance over which electrons and ions may separate in a thermal plasma. For  $T_e \gg T_i$ , the Debye length is given by

$$\lambda_D = (kT_e/4\pi n e^2)^{1/2} = 7.43 \times 10^2 (T_e/n)^{1/2} \text{ cm},$$

where  $k$  is the Boltzmann constant,  $T_e$  is the electron temperature in eV,  $n$  is the electron density in  $\text{cm}^{-3}$ , and  $e$  is the charge of the electron.

## **Dielectric**

non-conducting material

## **Dielectric breakdown**

electrical discharge within a dielectric due to an applied electric field in excess of the dielectric strength of the material

**Dielectric constant (relative permittivity)**

property of a dielectric that determines the electrostatic energy stored per unit volume for unit potential gradient; the total permittivity is the product of a dielectric constant and the permittivity of free space (see Permittivity)

**Dielectric loss**

time rate at which electric energy is transformed into heat in a dielectric when it is subjected to a changing electric field

**Dielectric strength**

maximum electrical potential gradient (electric field) that an insulating material can withstand without rupture, usually expressed in volts per mm of thickness

**Dielectric tests**

tests that consist of applying a voltage higher than the rated voltage for a specified time in order to determine the adequacy against breakdown of insulating materials and spacings under normal conditions

**Electric field intensity**

force exerted on a stationary positive charge per unit charge at a point in an electric field; designated by  $E$ ; also known as electric field strength and electric field vector; for a point charge in space, it is given by

$$E = \frac{Q}{4\pi\epsilon r^2}$$

where  $\epsilon$  is the dielectric constant and  $r$  is the distance from the charge  $Q$

**Electrode**

conductor, not necessarily metal, through which a current enters or leaves an electrolytic cell, arc, furnace, vacuum tube, gaseous discharge tube, or any conductor of the non-metallic class

**Electron**

stable elementary, negatively charged particle that may be found surrounding the center or nucleus in an atom

**Electrostatic discharge (ESD)**

sudden release of pent-up electrical energy through generation of a plasma and a resultant spark

**Encapsulating**

enclosing an article in an envelope of plastic or other sealant

**Epoxy Resins**

straight-chain thermoplastics and thermosetting resins based on ethylene oxide, its derivatives, or homologs

**Flashover**

disruptive electrical discharge around or over the surface of a solid or liquid insulator; flashover generally neutralizes local charge, but does not change the total charge state of a spacecraft (see Blowoff current)

**Floating potential**

potential that a spacecraft comes to under current balance with the surrounding plasma

**Frequency**

number of complete cycles or vibrations per unit of time

**Glow discharge**

nearby luminous neutral plasma of high charge density; a cathode will have a surface glow at low pressure and higher fields, owing to the excitation of the incoming positive ions and neutralization at the surface

**Graded insulation**

combination insulations, some portions of which are arranged to improve the distribution of the electric field to which the insulation combination is subjected

**Gradient**

rate of increase or decrease of a variable parameter

**Grounded parts**

parts that are so connected that, when the installation is complete, they are substantially at the same potential as the spacecraft ground

**Ground insulation**

major insulation used between a winding and the magnetic core or other structural parts, usually at ground potential

**Hollow cathode**

efficient plasma-emitting device that flows gas through a hollow orifice

**Hygroscopic**

tending to absorb moisture

**Impedance**

total opposition that a circuit offers to the flow of alternating current (AC) or any other time-varying current at a particular frequency; it is a combination of resistance  $R$  and reactance  $X$ , measured in ohms, and designated by  $Z = (R^2 + X^2)^{1/2}$

**Impregnate**

fill the voids and interstices of a material with a compound

**Impulse**

unidirectional surge generated by the release of electric energy into an impedance network

**Impulse ratio**

ratio of the flashover, sparkover, or breakdown voltage of an impulse to the crest value of the power-frequency flashover, sparkover, or breakdown voltage

**Insulation**

material having a high resistance to the flow of electric current to prevent leakage of current from a conductor

**Insulation resistance**

ratio of the applied voltage to the total current between two electrodes in contact with a specific insulator



**Insulation system**

all the materials used to insulate a particular electrical or electronic product

**Insulator**

material of such low electrical conductivity that the flow of current through it can usually be neglected

**Inverted gradient**

the result of differential charging where the insulating surface or dielectric reaches a positive potential with respect to the neighboring conducting surface or metal

**Ion**

electrified portion of matter of sub-atomic, atomic, or molecular dimensions such as is formed when a molecule of gas loses an electron (when the gas is stressed electrically beyond the critical voltage) or when a neutral atom or group of atoms in a fluid loses or gains one or more electrons

**Ionization**

generally, the dissociation of an atom or molecule into positive or negative ions or electrons; restrictively, the state of an insulator whereby it facilitates the passage of current due to the presence of charged particles (usually induced artificially)

**Normal gradient**

the result of differential charging where the insulating surface or dielectric reaches a negative potential with respect to the neighboring conducting surface or metal

**Over potential**

voltage above the normal operating voltage of a device or circuit

**Partial discharge**

electric discharge that only partially bridges the insulation system between conductors when the voltage stress exceeds a critical value (these partial discharges can occur adjacent to a conductor, or elsewhere); often referred to as "corona," but the term "corona" is preferably reserved for localized discharges in cases around a conductor, bare or insulated, remote from any other solid insulation

**Partial discharge pulse**

voltage or current pulse that occurs at some designated location in the test circuit as a result of a partial discharge

**Partial discharge pulse charge**

quantity of charge supplied to the test specimen's terminals from the applied voltage source after a partial discharge pulse has occurred; the pulse charge is related but not necessarily equal to the quantity of charge flowing in the localized discharge; often referred to as apparent charge or terminal charge

**Partial discharge pulse energy**

energy dissipated during one individual partial discharge

**Partial discharge pulse repetition rate**

number of partial discharge pulses of specified magnitude per unit time

### **Partial discharge pulse voltage**

peak value of the voltage pulse that, if inserted in the test circuit at a terminal of the test specimen, would produce a response in the circuit equivalent to that resulting from a partial discharge pulse within the specimen; also referred to as terminal corona pulse voltage

### **Particulates (space particulate debris)**

sources of space particulate debris are Earth, spacecraft, and space environments (Earth particulate is mostly dust, sand, and solids in rocket exhaust; sources are materials spalled by cosmic dust impacts on materials and the solar array, outgassing products, and slip rings; space environment particulate consists of residues that form the space plasma, cosmic dust of masses less than one gram, micrometeoroids, and meteoroids)

### **Paschen discharge**

breakdown of neutral gas in a high electric field

### **Permittivity**

The dielectric constant of a material multiplied by the permittivity of empty space, where the permittivity of empty space,  $\epsilon_0$ , is a constant appearing in Coulomb's law (see Dielectric constant)

### **Plasma**

gaseous body of ions and electrons of sufficiently low density that considerable charge separation is possible (because of the mobility of charge, a plasma is normally neutral and free of an electric field in its interior, just like a metallic conductor)

### **Plasma arcing**

electrical discharges that are a consequence of the presence of a plasma at the site of the discharge

### **Plasma ground**

see "Plasma potential"

### **Plasma potential**

the potential as it exists on average in the space between charged particles, independent of the question of how it can be measured

### **Plasma temperature**

kinetic temperature of a thermal plasma in eV or Kelvins. The ion temperature ( $T_i$ ) in a plasma need not be the same as the electron temperature ( $T_e$ ). The plasma temperature describes the average thermal energy of an ion or electron in the plasma

### **Plastic**

high polymeric substances (including both natural and synthetic products, but excluding rubber products) that are capable of flowing under heat and pressure at one time or another

### **Polarization**

state of a dielectric material such that the bulk orientation yields a net electric field. An electret is an example of a polarized material (see also Dielectric absorption)

**Polyimide**

polymer often used for spacecraft thermal control multilayer insulation blankets because of its radiation resistance; very thermally stable, this polymer is often also used for flexible solar array blankets (Kapton® is a polyimide)

**Polymer**

compound formed by polymerization that results in the chemical union of monomers or the continued reaction between lower molecular weight polymers

**Polymerize**

chemically unite two or more monomers or polymers of the same kind to form a molecule with higher molecular weight

**Potential**

work per unit charge required to bring any charge to the point from an infinite distance

**Potting**

similar to encapsulating, except that steps are taken to ensure complete absence of all voids in the object before the resin polymerizes

**Power**

time rate at which work is done; power is obtained in watts if work is expressed in joules and time is in seconds

**Pressure**

force per unit area; absolute pressure is measured with respect to zero pressure whereas gauge pressure is measured with respect to atmospheric pressure

**Primary arc**

trigger arc; an initial electrical discharge that may or may not trigger another type of discharge

**Proton**

elementary particle that is the positively charged constituent of ordinary matter and, together with the neutron, is a building stone of all atomic nuclei

**Pulse**

wave that departs from a first nominal state attains a second nominal state, and ultimately returns to the first nominal state

**RC time constant**

time constant obtained by multiplying resistance by capacitance

**Relative humidity**

ratio of the quantity of water vapor present in the air to the quantity that would saturate the air at any given temperature

**Resistance**

property of a conductor that determines the current produced by a given difference of potential; the ohm is the practical unit of resistance

**Resistivity (specific insulation resistance)**

electrical resistance between opposite faces of a 1-cm cube of an insulating material, commonly expressed in ohm-centimeters; sometimes called volume resistivity

**Secondary arc**

sustained electrical discharge resulting from an ESD or primary arc at a nearby location

**Semiconductor**

solid crystalline material whose electrical conductivity is intermediate between that of insulators and conductors, and is usually applied field and temperature dependent

**Shelf life**

length of time under specified conditions that a material retains its usability. Also called storage life

**Silicone**

polymeric materials in which the recurring chemical group contains silicon and oxygen atoms as links in the main molecular chain backbone, with recurring methyl and/or phenyl side groups; the high flexibility of the Si-O backbone gives this class of materials a low glass transition temperature, preferable for external surfaces like solar arrays.

**Sizzle arc**

sustained electric discharge due to dielectric breakdown

**Snapover**

phenomenon caused by secondary electron emission that can lead to electron collection on insulating surfaces in an electric field

**Solar array**

solar cells connected in series and/or parallel to generate power; often the sole power source for a spacecraft

**Solar cell**

photovoltaic device used to convert the energy in light to electrical energy

**Sparkover (spark)**

short-duration electric discharge due to a sudden breakdown of air or some other dielectric material separating two terminals, accompanied by a momentary flash of light; also known as electric spark and spark discharge

**Storage life**

period of time a liquid resin or adhesive can be stored and remain suitable for use; also called shelf life

**String voltage**

voltage of a single series-connected solar array segment near the maximum power point; often, this is the power system voltage

**Surface creepage voltage**

see "Creepage"

**Surface flashover**

see “Flashover”

**Surface leakage**

passage of current over the boundary surface of an insulator as distinguished from passage through its volume

**Surface resistivity**

resistance of a material between two opposite sides of a unit square of its surface; surface resistivity can vary widely with the conditions of measurement; often expressed as ohms per square, although a dimensional analysis yields units of ohms

**Surge**

transient variation in the current and/or potential at a point in the circuit

**Sustained arc**

electrical discharge that lasts much longer than the usual capacitance-discharging arc (on the order of 1 millisecond or longer)

**Thermal conductivity**

ability of a material to transport thermal energy

**Tracking**

scintillation of the surface of an insulator; can produce enough heat to leave a degraded track of carbon

**Transient**

that part of the change in a variable that disappears during transition from one steady state operating condition to another

**Trigger arc**

electrical discharge of one type that triggers a discharge of another type (see Primary arc)

**Triple-point (triple-junction)**

point where a plasma, a high-voltage conductor, and an insulator come together; at such a point, the electric field is often at a maximum, and plasma-arcing is more likely

**Void**

small enclosed cavity within an insulation system; can be centrally located or next to an electrode surface

**Voltage**

term most often used in place of electromotive force, potential difference, or voltage drop to designate electric pressure that exists between two points and is capable of producing a flow of current when a closed circuit is connected between the two points

**Wire**

metallic conductor of round, square, or rectangular cross-section that can be either bare or insulated

**Working life**

period of time a liquid resin or adhesive remains usable after mixing with catalyst solvent or other compounding ingredients

## 5 Requirements

### 5.1 General LEO Standard Requirements

#### 5.1.1 Arcs on Spacecraft in LEO

Arcs on spacecraft in LEO must be prevented because of their potentially disastrous consequences (see Annex C, Section C.3.1.6). The four types of arcs that shall be prevented are as follows:

- a. Solar array or power system trigger arcs (see Annex C, Section C.3)
- b. Sustained solar array arcs (see Annex C, Section C.3.3)
- c. Dielectric breakdown of structure surface coatings (can also become sustained; see Annex C, Section C.3.2)
- d. Paschen discharges (see Annex B, Section B.1.3; Annex D, Section D.2.3)

#### 5.1.2 Large Parasitic Current Drains

Large parasitic current drains to the LEO plasma can lead to power losses and shall be prevented. If they cannot be prevented, steps shall be taken to limit their effects.

#### 5.1.3 Simulated LEO Plasma Environment Test

Spacecraft systems susceptible to arcing or large parasitic current drains shall be tested in a simulated LEO plasma environment under simulated (worst-case) operational conditions before flight. See Table B.1

#### 5.1.4 LEO versus GEO Charging

Prevention and mitigation techniques appropriate in the prevention of arcing in GEO spacecraft *cannot* be the same as those for LEO spacecraft. Spacecraft that operate a significant amount of time in LEO *shall* use arc prevention and mitigation techniques appropriate for the LEO environment. See Table 1.2.

#### 5.1.5 Arc Prevention

- a. **Prevent solar array or power system trigger arcs** with any or all of the following techniques (see Annex D, Section D.4.2):
  - (1) Limit the potential of possible arc-sites to a voltage lower than the trigger arc threshold (which must be determined by testing). This task shall be achieved by one or all of the following:
    - A. Using power system voltages lower than the threshold
    - B. Limiting electron collection to solar arrays by using welded-through interconnects (see Annex C, Section C.2.1) or closely spaced coverslides (see Annex C, Section C.2.4.1)
    - C. Encapsulating exposed electron-collecting conductors (see Annex D, Section D.2.3, but be careful of creating Paschen discharge conditions)
    - D. Using a plasma contactor with a grounded neutralizer (see Annex D, Section D.2.2)
  - (2) Limit the electric fields of potential arc-sites. This task shall be achieved by one or all of the following:
    - A. Limiting power system voltages to below the trigger arc threshold (which must be determined by testing)
    - B. Using (slightly) conductive coverslides or otherwise preventing sharp triple-points (see Annex C, Section C.3.1.2)

- C. Using welded-through interconnects (see Annex C, Section C.2.1)
  - D. Grouting the edges of cells (see Annex D, Sections D.1 and D.2.3)
  - E. Using cell coverslides with a large overhang
  - F. Using thick coverslides
- (3) Eliminate arc-sites (i.e., effectively encapsulate all exposed conductors; see Annex D, Section D.2.3, but be careful of creating Paschen discharge conditions). This task shall be achieved by one or all of the following:
- A. Using very large coverslides that cover an entire array segment
  - B. Using concentrator arrays with fully grouted solar cells
  - C. Using thin-film coatings that are thick enough to have a dielectric strength higher than (can stand-off) the full array voltage
  - D. Using openings in vented experiment electronics enclosures with smaller dimensions than the minimum Debye length expected in the LEO environment (see Annex D, Section D.3).
- b. Sustained solar array arcs shall be prevented with any or all of the following techniques (see Annex D, Section D.4.2):
- (1) Prevent all occurrences of trigger arcs (see Section 5.1.5a, above).
  - (2) Limit the differential potentials of adjacent solar array strings, cells, or power traces to below the sustained arcing threshold (which must be determined by testing). This task can be achieved by using power system string voltages lower than the sustained arcing voltage threshold using string layouts that prevent adjacent cells or strings from having large differential potentials, and using array regulators that do not place grounded (shunted) strings near high voltage (unshunted) strings.
  - (3) Prevent trigger arc plasmas from reaching adjacent cells or strings. This task can be achieved by the following:
    - A. Grouting the edges of cells and strings that have large differential voltages with adjacent cells or strings
    - B. Erecting physical barriers to plasma movement, and/or spacing adjacent strings far from each other
    - C. Determining the arcing thresholds for geometries intended to mitigate sustained arcing by performing testing.
  - (4) Prevent trigger arc plasmas from initiating Paschen discharge at the differential voltage between strings or cells. The Paschen minimum for most materials that can be evolved during a trigger arc can be determined only by testing. Without an extensive test program to determine these thresholds, this technique can be implemented only by using solar array materials that do not decompose under the high heat of an arc. This excludes the use of Kapton®, certain adhesives, and non-refractory metals in solar array construction.
  - (5) Limit currents at arc-sites to below the sustained arcing current threshold (which must be determined by testing). This goal can be achieved by any one of the following:
    - A. Using blocking diodes in string circuits to prevent string arc-current communication (good practice regardless of other design features)
    - B. Using solar cells of current output below the sustained arcing current threshold
    - C. Low-pass filtering solar array strings, using RC time constants that are much longer than trigger arc timescales.

- (6) Prevent arcs from extending in duration to milliseconds or more. This task can be achieved by sensing arc occurrence and quickly (<200 microseconds) open-circuiting strings where arcs occur (see Annex D, Section D.4.1).
- c. Dielectric breakdown of structure surface coatings shall be prevented with any or all of the following techniques (see Annex D, Section D.4.2):
  - (1) Keep electric fields in the coatings below the breakdown voltage set by the dielectric strength of the coating. This limitation can be achieved by one of the following:
    - A. Using low power system voltages
    - B. Letting the solar array float with respect to the system ground (by isolation transformers or other means)
    - C. Limiting electron collection to solar arrays by using welded-through interconnects (see Annex C, Section C.2.1) or closely spaced coverslips (see Annex C, Section C.2.4.1)
    - D. Encapsulating exposed electron-collecting conductors (see Annex D, Section D.2.3, but be careful of creating Paschen discharge conditions)
    - E. Choosing a power system grounded at or near its most positive end (see Annex D, Section D.2.1) which will maintain a potential near the plasma potential
    - F. Using a plasma contactor with a grounded neutralizer
    - G. Using thick dielectric coatings with a high breakdown voltage
    - H. Using very thin dielectric coatings with bulk resistivity low enough that the surface potential is close to the underlying conductor potential (but be careful that the capacitance across the coating does not become great enough to exacerbate arc damage when arcs occur).
  - (2) Prevent sustained dielectric breakdowns (sizzle arcs) by preventing the original dielectric breakdown [see c.(1) above], or by preventing the spacecraft's electron current collection from reaching the sustained arc threshold (which must be determined by testing) for the dielectric material. This task can be achieved by one of the following:
    - A. Limiting the power system voltage to below the snapover voltage (which must be determined by testing; see Annex C, Section C.2.4.3)
    - B. Using a power system grounded at or near its most positive end (see Annex D, Section D.2.1)
    - C. Encapsulating all exposed electron-collecting conductors, or by other techniques for limiting electron current collection (see d.(1) B. below).
- d. Paschen discharges shall be prevented with any or all of the following techniques:
  - (1) Keep potentials of exposed conductors below the Paschen minimum for all ambient and emitted gases (see Annex D, Section D.1). This goal can be achieved by one or all of the following:
    - A. Using very low power system voltages
    - B. Encapsulating exposed electron-collecting conductors (but be careful of creating Paschen discharge conditions below the encapsulation when operating at voltages at or above the Paschen voltage minimum)
    - C. Using a plasma contactor with a grounded neutralizer.
  - (2) Prevent the neutral pressure from entering the Paschen regime for the spacecraft plasma sheath dimensions. This task can be achieved by the following:
    - A. Placing vents and nozzles far from exposed conductors
    - B. Adequately venting enclosures with exposed high-voltage differentials
    - C. Venting only gases with high Paschen minimum voltages



- D. Filling pressurized enclosures with an electron-sponge gas [such as Sulfur Hexafluoride (SF<sub>6</sub>)]
- E. Using only spacecraft materials that have low outgassing properties in enclosed spaces
- F. Delaying turn-on of high voltage systems until outgassing has proceeded to safe levels.

### 5.1.6 Prevent Large Parasitic Currents

a. **Large parasitic plasma currents** shall be prevented with the following method:

- (1) Control the maximum solar array positive potential to below the snapover potential (which must be determined by testing; see Annex C, Section C.2.4.2). This control can be achieved by any or all of the following:
  - A. Using power system voltages less than the snapover voltage (may be as low as 80 V)
  - B. Letting the solar array float with respect to the system ground
  - C. Encapsulating exposed electron-collecting conductors (see Annex D, Section D.2.3, but be careful of creating Paschen discharge conditions)
  - D. Choosing a power system grounded at or near its most positive end (see Annex D, Section D.2.1)
  - E. Operating the solar arrays only when in their own wake (the afternoon side of the orbit)
  - F. Using snapover-preventive coatings with low secondary electron emissivities (see Annex C, Sections C.2.4.1 and C.2.4.2)
  - G. Using a plasma contactor with a grounded neutralizer (see Annex D, Section D.2.2).

### 5.1.7 Steps to Limit the Impact of Arcs to Sensitive Spacecraft Systems

- a. If arcs cannot be prevented, then you shall limit the impact of the arcs in any or all of the following ways:
- (1) Limit the energy that is dissipated in a trigger arc. This task can be achieved by one or all of the following:
    - A. Limiting the capacitance that can be discharged in the arc (including all circuits directly connected to the arc-site)
    - B. Limiting the potential of an arc-site [see 5.1.5a.(1) above]
    - C. Providing an RC time constant larger than the trigger arc duration for other strings or surfaces that can provide current to the arc.
  - (2) Prevent arc currents from traversing the human body or other circuits sensitive to power surges. This task can be achieved by using sneak circuit analysis to make sure astronauts or sensitive circuits are not in the direct path of current flow during an arc.
  - (3) Prevent the arc from drawing power continuously from the solar arrays. This task can be achieved by preventing the arc from becoming a sustained arc [see 5.1.5b.above].
  - (4) Prevent a trigger arc from becoming a Paschen discharge. [See 5.1.5d. above for techniques to prevent Paschen discharge.]
  - (5) Limit arc-sites to material surfaces that are not sensitive to damage. This limitation can be achieved by preventing dielectric breakdown or solar array arcing on surfaces that are used for thermal control, optical surfaces, possible electromagnetic interference (EMI)-radiating surfaces, electronics enclosures, and the like. See 5.1.5a. and c. above for techniques to prevent dielectric breakdown and/or solar array arcing on these surfaces.

Arcs on surfaces that are not critical to spacecraft systems, will not contaminate sensitive surfaces, and will not radiate into sensitive electronics, do not require arc prevention.

- (6) Detect the occurrence of arcs and rapidly cut off current to the site when an arc occurs (see Annex D, Section D.4.1).

#### **5.1.8 Testing**

- a. Compliance with the LEO standards shall always be verified by testing. Verification of LEO space systems' performance in preventing arcing and/or large parasitic plasma currents must never be attempted solely by analysis. No substitute exists for testing in a simulated LEO environment under simulated (worst-case) operational conditions. Do not trust any analysis results exclusively. Test your particular design and have a knowledgeable space electrostatic discharge (ESD) engineer review your design at the earliest possible stage in the program, and make sure you have continuing support through launch.
- b. See Annex F for appropriate test conditions.

## **6 Reference Documents Guidance for LEO Spacecraft Charging Design and Test Practices**

An important reference document for LEO spacecraft charging design is Ferguson and Hillard (2003). It contains an extensive annotated bibliography that is not possible to repeat here. A good reference for test procedures is Ferguson et al. (2006). There is an international standard for space solar array ESD test procedures – ISO 11221. For other documents referenced in the Annexes, see the Bibliography (Annex G).

## Information Annexes

### Annex A Overview of Plasma Interactions (Informative)

#### A.1 Poisson Equation

When energized conductors are exposed to plasma, positive surfaces collect electrons, and negative surfaces collect ions. The Poisson equation governs potential distributions that determine charge movement. The Poisson equation is

$$\nabla^2 \phi = -4\pi\rho, \quad (\text{eq. A.1})$$

where  $\phi$  is the potential, and  $\rho$  is the charge density in a vacuum. When the charge density is very low, as in GEO, Poisson's equation reduces to Laplace's equation.

Electrons, which are much lighter and more mobile than ions, are collected more easily than ions. Surfaces charge to whatever potential necessary for the net current flow to be zero in equilibrium. A current loop that uses the ionosphere as part of the conducting path forms. The potential that any given surface will achieve is very difficult to model and generally requires full-up testing in a plasma environment. The resulting interactions can be summarized as follows:

- a. Surfaces that are more negative than ~100 V with respect to their surroundings are subject to arcing. These arcs can be either plasma arcs or arcs to adjacent conductors. They are usually momentary discharges of accumulated energy, lasting only milliseconds, but under some conditions they can be sustained. The necessary conditions for the arc to be sustained are for the current and voltage to be maintained above threshold values. Plasma arc thresholds are poorly known but can be as low as -50 V under some conditions.
- b. Surfaces that are more negative than ~100 V are subject to ion bombardment and sputtering. Since the dominant ion is atomic oxygen, care must be taken that chemical attack does not occur as well.
- c. Surfaces that are positive can easily collect sufficient electrons to present a measurable power drain to the system. Referred to as "parasitic current collection," this condition can result in a power loss to the system (a loss of a few percent).
- d. If the power system is negatively grounded, as is most commonly done, then the entire vehicle can float negative with respect to the ionosphere. The system potential can become as negative with respect to the ionosphere as the entire power system voltage. For systems with very large areas of high-voltage surfaces, such as the International Space Station (ISS), this effect is large, requiring a plasma contactor to mitigate it. Note that when ISS has its plasma contactor (grounded to the structure) operating, electron current collection of the solar arrays from the plasma is exacerbated, because the arrays will be held at positive potentials with respect to the surrounding plasma.

## Annex B Environments (Informative)

### B.1 The Ambient Environment

#### B.1.1 The Neutral Atmosphere

The dominant environment between 100 km and 1000 km is the neutral atmosphere. In this essentially collision-less regime, the gases are in hydrostatic equilibrium. Below about 100 km, where the atmosphere is homogeneous, the composition is approximately 80 percent N<sub>2</sub> and 18 percent O<sub>2</sub>, with traces of NO<sub>2</sub>, Ar, and other gases. Above 100 km, atomic oxygen, the result of photo-dissociation of molecular oxygen, comes to dominate. At an altitude of 500 km, the neutral number density varies from  $2 \times 10^6$  to  $3 \times 10^8$  cm<sup>-3</sup>, depending on solar activity and position in the orbit. The kinetic temperature of the gas is usually between 500 K and 2000 K, and the ambient pressure is between  $10^{-10}$  Torr and  $5 \times 10^{-8}$  Torr. Above about 800 km, the atmosphere is largely atomic hydrogen.

The neutral gas environment has been well explored and quantified. Empirical models based on in-situ neutral composition and satellite drag measurements have evolved over the years into reliable predictors of the average composition and thermal structure of the thermosphere. The most notable of these models are the Mass Spectrometer Incoherent Scatter (NRLMSISE-00) model (Hedin, 1987; Picone et al, 2003; Prag, 1983), based on in-situ satellite observations of neutral concentrations; the Marshall Space Flight Center (MSFC) version of the Jacchia model derived from satellite drag measurements; the Marshall Engineering Thermosphere (MET) ("Computational procedure," 1970; Hickey, 1988); and the U.S. Standard Atmosphere ("U.S. standard atmosphere," 1976; King, 1978). These models provide good estimates of the thermosphere environment as functions of altitude, longitude, latitude, local time, magnetic activity, and solar activity and are continually updated as new information becomes available. For an up-to-date guide to atmospheric models, see Vaughan, 2010.

#### B.1.2 The Plasma Environment

On the sunlit hemisphere of the Earth, ultraviolet (UV) and extreme ultraviolet (EUV) radiation penetrates the atmosphere, ionizing and exciting the molecules present. This results in a fine balance between increasing density and increasing absorption, which leads to the formation of layers, the ionosphere. A highly dynamic plasma, the ionosphere's properties vary with altitude, latitude, time of day, and sunspot cycle. Over hours to weeks, local geomagnetic disturbances can cause dramatic variations that are difficult to predict. Despite these complications, the broad features of the ionosphere can be described with simple models.

The variability with latitude, known since the 1920s, is so dramatic that the ionosphere is conventionally divided into three distinct regions: high-latitude, mid-latitude, and low-latitude. The easiest region to understand is the mid-latitude region, which most closely follows classical ionospheric models. In this document, spacecraft design is not treated for the high-latitude region.

Variation with altitude is perhaps the most important parameter for the spacecraft designer. This pronounced vertical structure is not simply a matter of height variation but reflects basic physical processes that differ in the resulting regions. Three processes, in particular, are responsible: (1) the sun's energy is deposited at various heights because of the absorption characteristics of the atmosphere, (2) the physics of recombination depends on density and therefore on altitude, and (3) the composition of the atmosphere changes with height.

The lower limit of the ionosphere is somewhat arbitrary since plasma production falls off continuously with decreasing height. Historically, the ionosphere has been assumed to begin about 50 km from the surface, because this is the altitude where plasma density becomes sufficient to affect radio wave propagation noticeably. There is no distinct upper limit, but 2000 km is generally used for most practical applications. In this document, spacecraft design for altitudes above 1000 km is not specified, because of the radiation issues that are a primary design driver. For the purposes of this standard, it is considered infeasible to

orbit a spacecraft at an altitude below about 200 km because of atmospheric drag, so LEO is considered to begin at 200 km altitude.

Four layers describe the vertical structure of the ionosphere. In order of increasing altitude and increasing plasma density, these are designated as the D, E, F1, and F2 regions. Their properties are summarized in Table B.1.

Table B.1 — Nominal properties of ionospheric layers

Region	Nominal Height of Peak (km)	Plasma Density at Noon ( $\text{cm}^{-3}$ )	Plasma Density at Midnight ( $\text{cm}^{-3}$ )	Dominant Ion
D	90	$\sim 1.5 \times 10^4$	vanishes	$\text{O}_2^-$
E	110	$\sim 1.5 \times 10^5$	$\sim 1.0 \times 10^4$	$\text{O}_2^+$
F1	200	$\sim 2.5 \times 10^5$	vanishes	$\text{O}^+$
F2	300	$\sim 1.0 \times 10^6$	$\sim 1.0 \times 10^5$	$\text{O}^+$

Beyond the peak in the F2 layer, electron density decreases monotonically out to several Earth radii. For altitudes up to and including the F2 peak, thermal energies of the electrons and ions are in the range of 0.1 eV to 0.2 eV, corresponding to kinetic temperatures of 1200 K to 2400 K. Temperature rises monotonically beyond this point, reaching several thousand eV in geosynchronous orbits (altitude = 35,786 km).

The F2 layer is the most important for spacecraft operations. It is in this layer that the ISS lives, the Shuttle orbiter and most LEO spacecraft fly, and the Hubble telescope orbits to photograph the universe. Its boundaries and electron density are highly variable, with generally erratic behavior imposed on large daily, seasonal, and solar cycle variations.

Ionospheric plasma distributions within the F-region have been extensively explored since the advent of bottom-side sounders, long before in-situ satellite observations were made. As a result, the general morphology of the F-region and some of its more prominent individual features are well understood. Although there are detailed features such as localized troughs, localized heating, and short temporal variations that are difficult to model, the overall global structure of the ionosphere is now well understood, and excellent ionospheric models exist for estimating and quantifying plasma distributions. In particular, the global International Reference Ionosphere (IRI) model (e.g., IRI-90) provides estimates under varying solar activity conditions of plasma concentrations, composition, and temperatures as a function of altitude, time, and location. Another good reference is BSR/AIAA G-003C-2010, American National Standard, "Guide to Reference and Standard Atmosphere Models."

### B.1.3 The Spacecraft-Induced Environment

Spacecraft-induced environments can take many forms; for example, neutral gases, ionized gases (plasmas), condensable gases, particulates, and radiation. In many cases, these environments can overwhelm the natural environment and can lead to undesirable interactions. These types of environments are treated separately in the following paragraphs.

Cold gas thrusters and Reaction Control System (attitude thrusters) (RCS) can significantly increase the localized neutral pressure. This increase can be dangerous when there are exposed high-voltage conductors, because Paschen discharges can occur (see Annex D, Section D.2.3). In general, if the local neutral pressure is more than a milliTorr and less than a few Torr, then high-voltage electrical breakdowns can occur. At a voltage of -3500 V relative to the orbiter, the Tethered Satellite System—first reflight (TSS-1R) tether leaked gas into its deployer control reel enclosures, and the elevated neutral pressure led to Paschen discharge and loss of the mission (Szalai et al., 1996). On the Solar Array Module Plasma

Interactions Experiment (SAMPIE, Ferguson and Hillard, 1997) Shuttle payload bay experiment, a local gas vent had to be moved to prevent Paschen discharge. Helium is the most dangerous neutral effluent gas, since it has the lowest Paschen breakdown minimum voltage.

Ionized gases can be emitted by plasma sources such as hollow cathode plasma contactors or from neutral gas sources at high positive potentials. Locally, the plasma density can be greater than the ambient plasma density, and similar plasma interactions can occur with high-voltage components. On ISS, the plasma contactor units (PCUs), when operating, produce a local xenon plasma of much greater density than ambient. It has been estimated that the invisible plasma ball produced is some eight meters in radius before its density decreases below the ambient plasma density in LEO. Arcing and current collection from such a plasma could occur in much the same way as with an ambient plasma, implying that solar arrays and other active sites should be kept out of induced plasma plumes (Likar et al, 2006; Vayner et al, 2006; Khayms and Kannenberg, 2006).

Condensable gases are effluents that can condense on cold components and contaminate their surfaces. Oil and water vapor are two major condensables that can influence the interactions of spacecraft surfaces. In vacuum chamber testing, oil has been shown to prevent snapover on surfaces when high positive voltages are used (see Section C.2.4, below). Many oils, however, cannot withstand the LEO atomic oxygen environment on ram-facing surfaces but can build up on wake surfaces. Water vapor released on the night side can condense on insulating surfaces of solar arrays, etc., and can participate in arcing when the arrays become active in sunlight. It has been shown in laboratory testing that solar arrays that have been thoroughly baked out (heated in a vacuum for seven days) lose the water vapor contamination that is important in low voltage (-100 V to -300 V) arcing (Vayner et al., 2002). In LEO, however, a cold cycle is about 1/3 of every orbit. Even very well baked-out systems can have recondensation from effluents evolved during the night side of the orbit. Thin layers of condensed contaminants can concentrate electric fields above high-voltage conductors, even to the point where they undergo dielectric breakdown.

Particulates can be emitted or shaken from surfaces but can also result from arcing or sputtering from spacecraft surfaces. Particulates can transfer small amounts of charge from one surface to another, but their major effect is in changing the characteristics of the surfaces to which they adhere. For instance, an insulating particle on a conductor that is at a high potential can concentrate the electric field structure locally, possibly leading to a reduced arcing voltage threshold. See Latham (1995).

Radiation can embed electrons deep within dielectrics, where they can build up for days, weeks, or months until the dielectric breaks down under the induced electric field. In the natural environment, this effect will mainly happen in the auroral zones, radiation belts, and above the South Atlantic Anomaly, and thus are not usually important in the environment for which this standard is applicable, but radiation produced on or within a spacecraft can be important regardless of orbital position. Satellites using radioactive power sources must be designed to ameliorate this “deep-dielectric” charging, which is different from the typical “surface” spacecraft charging.

## Annex C Plasma Interactions (Informative)

### C.1 Exposed High-Voltage Conductors

It is almost always unwise to allow exposed high-voltage ( $|V| > 55$  V) conductors on spacecraft. Exposed high-voltage conductors that do not exhibit corona or Paschen breakdown in a neutral gas can readily do so if the environment contains a significant ionized component. Although a high-voltage surface—for example, solar cell interconnects—can be exposed to the ionized space plasma by design, surfaces can also be at high voltages because of current collection from the plasma. The resulting equilibrium potentials that are assumed by surfaces result in the following effects:

- a. Floating potential shifts: In equilibrium, some parts of the spacecraft can be charged to negative voltages near the maximum string voltage of the solar array.
- b. Parasitic power drain: Direct loss of power due to current collection; this loss can be several percent of total power.
- c. Sputtering: Surfaces that charge negative will attract ions that in turn will result in sputtering of the material.
- d. Arcing: Negative surfaces undergo arcing when some critical threshold is exceeded.

### C.2 Current Collection

#### C.2.1 The Current-Balance Condition

In the weakly ionized low-density plasma found in LEO, current collection is completely described by Poisson's equation (eq. A.1). Positive surfaces readily attract electrons, and negative surfaces attract the much more massive positive ions only with great difficulty. In equilibrium, net current collection must be zero, so surfaces will charge to equalize the net current of each polarity.

To illustrate the basic effects, consider first a hypothetical experiment. Suppose two metal spheres a meter or so in diameter are initially connected by a conductor and placed in LEO some distance apart. Since electrons are collected more easily than ions, both spheres will charge to the same potential, within a volt or two of plasma potential. Now suppose a high-voltage battery is placed between them, with one sphere connected to the negative terminal and the other to the positive. On Earth, in air, such an arrangement would result in half of the battery voltage appearing on each sphere. But in LEO, highly mobile electrons stream to the positive sphere, while the negative sphere struggles to collect the massive ions. Both experience and modeling indicate that approximately 90 percent of the battery voltage will appear on the negative sphere and only 10 percent will be on the positive one with respect to the plasma potential.

The implications of this phenomenon are considerable and often expensive. In the case of the ISS, for example, the power system consists of solar arrays wired in a series-parallel arrangement to give a 160 V system. Since the main structure of the ISS is “grounded” to the negative end of the array string, the entire space station would “float” more than 140 V negative with respect to the ionosphere. Such potentials are beyond the dielectric strength of the anodized coatings on the ISS aluminum structure and would lead to arcing into the space plasma and to the eventual destruction of the ISS thermal control system. This prospect required the addition of an active plasma contactor, a xenon hollow cathode discharge unit, to ground the space station to the ionosphere effectively. As it turns out, the ISS solar arrays are unusual in that they are poor electron collectors because of their welded-through design. Atypically, the ISS early mission-build structure usually didn't charge more than 20 V or so negative with respect to the surrounding plasma even without the plasma contactors operating. However, as more solar arrays are put up, it was expected that the charging level on the ISS will increase dramatically, justifying the added expense of the plasma contactors (Ferguson and Gardner, 2002).

For conducting surfaces that are covered with insulators, some elapsed time could be necessary for the steady state potential situation to be reached. The surfaces will charge until no further charge collection is necessary in equilibrium, and this is tantamount to charging up a capacitor with plate separation equal to the insulator thickness. Ion charging times in LEO can be considerable for typical anodized aluminum thicknesses. It is estimated, for instance, that in the daytime ionosphere, the ISS surfaces will take 4 seconds to fully charge, whereas on the morning terminator, where the ionospheric ion density is at its lowest, charging times of 40 seconds or more can occur.

### C.2.2 Sheath Effects

A positively charged spherical electrode will collect electrons when inserted in a plasma. The volume called the “sheath,” in which the electrode influences electrons, is larger than the sphere. For low voltages, the sheath thickness will be nearly the same as the Debye length (see eq. D.1. in Annex D, Section D.3). Some electrons will orbit around the electrode and escape from the sheath. The collected or trapped electrons are said to be orbit-limited and are affected in a complex manner by the radius of the electrode, the electrode voltages, and the temperature and density of the free electrons.

A solar array looks to the plasma like a large rod electrode (like the wires and interconnects that are in contact with the plasma) rather than a spherical probe, and is also surrounded by a sheath. Power loss caused by plasma leakage current will become significant above 100 V for positive electrodes (see section C.2.3.1). Above a threshold voltage, which differs because of array design, arcing can be observed between the electrodes.

### C.2.3 Current Collection by Structures

#### C.2.3.1 Electron Collection

LEO spacecraft are traveling subsonically with respect to the electrons in the ambient plasma. That is, at the plasma temperatures in LEO, the ambient electrons are moving at speeds greatly in excess of the orbital velocity. Thus, electrons can be collected on any conducting surface (exposed to the undisturbed plasma; i.e., not in the plasma wake) that is not charged more than a few electron temperatures negative. In general, electron collection is well described by probe theory (e.g., Chen, 1965). For large surfaces, collection is best described by thin sheath probe theory. For structures smaller than a few times the Debye length (see eq. D.1. in Annex D, Section D.3), orbit limited theory can be used. Electron current collected from a plasma can be described by the equation  $I_e = J_0 A_s$ , where  $I_e$  is the electron current,  $A_s$  is the effective surface area for electron collection (either the plasma sheath area or the area of a sphere with the limiting orbit radius), and  $J_0$  is the electron thermal flux, given by

$$J_0 = (n_e e / 4) (8kT_e / \pi m_e)^{1/2} = 2.68 \times 10^{-12} n_e T_e^{1/2} \text{ Amps/cm}^2, \quad (\text{eq. C.1})$$

where  $e$  is the electron charge,  $n_e$  is the electron density per  $\text{cm}^3$  and  $T_e$  is the electron temperature in eV. For example, in a “typical” LEO plasma of  $10^6$  electrons/ $\text{cm}^3$  and a temperature of 0.1 eV, one could expect electron thermal fluxes of about 1.5 microamps/ $\text{cm}^2$ , or about 15 milliamps/ $\text{m}^2$ .

Electron current collection by wires is important in the case of electrodynamic tethers or when structures such as self-extending masts with wire braces are used. For instance, on the ISS, it was found that several square meters of electron-collecting wires on the array masts were connected to ISS ground. The array wing that was positive with respect to the plasma because of  $\mathbf{v} \times \mathbf{B} \cdot \mathbf{l}$  effects (described in the next paragraph) acted as an electron collector and became essentially grounded to the surrounding plasma, complicating the measurements of the vehicle charging due to solar cell electron collection.

An electrodynamic tether is a long wire that orbits in the Earth’s magnetic field and that uses the electric field generated by its motion, the so-called  $\mathbf{v} \times \mathbf{B}$  field, dotted with  $\mathbf{l}$  (where  $\mathbf{v}$  is the velocity,  $\mathbf{B}$  is the magnetic field, and  $\mathbf{l}$  is the length of the tether or structure), to produce power or propulsion. This concept was proved on-orbit by the Plasma Motor Generator (PMG) experiment, where both modes of operation were produced by emitting electrons (by means of plasma contactors) at either the top or bottom of a



500 m tether to produce power (electron emission at the bottom) or propulsion (electron emission at the top). The maximum  $v \times B$  on a structure in LEO is about 1/3 volt per meter.

In the case of the TSS-1R tether, its 20 km length produced a maximum of about 3500 V potential between its most positive and negative ends, since it was not oriented perfectly perpendicular to the velocity vector and the Earth's magnetic field. A satellite at its upper end collected electrons, and an electron gun at the lower end emitted electrons to complete the circuit. When the electron gun was not in operation, a large resistance prevented the Shuttle from being biased thousands of volts negative of its surrounding plasma. However, there remained a large voltage between the tether lower end and the Shuttle orbiter. This enormous bias eventually led to a continuous arc on the tether (see Section C.3.3, below), which broke, freeing the satellite and ending the experiment.

During the arc, the satellite collected over 1 amp of electron current to keep the arc going. Probe theory (Cohen et al., 1986) is usually used to calculate the total current collected by a wire with distributed potentials. However, before the break, TSS-1R demonstrated that a satellite at a high positive potential could collect an anomalously large electron current (see Stone and Raitt, 1998; Stone et al., 1998; Zhang et al., 2000).

In the MSFC tether experiment, ProSEDS, the Propulsive Small Expendable Deployer System (Vaughn et al., 2004), the electrodynamic tether would be a bare wire, collecting current along its length, rather than just at its ends. In this case, arc mitigation requires, for example, graded insulation at the tether ends to eliminate the so-called triple-points where high electric fields can lead to arcing.

Electron collection in LEO is also affected by the vehicle plasma wake. Since orbiting LEO spacecraft are moving supersonically with respect to the ambient ions, there is a wake devoid of ions behind each spacecraft. The electrons that initially enter the wake build up a space charge that repels all other electrons, so the wake can be considered essentially devoid of electrons, compared to the ambient plasma. For most bodies, then, the only part that can collect ambient electrons is the ram-facing side. The Charging Hazards and Wake Studies (CHAWS) experiment (Bonito et al., 1996; Cooke et al., 1994) showed that a large body in LEO has a very deep wake, with a wake electron density of  $10^{-4}$  of the ambient electron density or less, but with a temperature 10 times or so of the ambient, in agreement with earlier measurements by Raitt et al. (1984) and Murphy et al. (1986).

If a piece of conductive structure is surrounded by insulating material and is at a high positive potential relative to the ambient plasma, then it could be subject to snapover (see Section C.2.4.2), causing a greatly increased effective electron surface area, so the structure can collect an order of magnitude more current than one would naively suspect.

Insulating structure surfaces reach equilibrium potential with the LEO plasma of only a few volts negative and do not thereafter collect current (Vaughn, 2003).

### C.2.3.2 Ion Collection

While electrons are collected from all directions in LEO, spacecraft in LEO are moving supersonically with respect to the ions; therefore, ions are collected only by ram surfaces. In fact, since many conducting parts of a structure are far greater in dimension than the plasma sheath, the effective flux of ions to their surfaces is essentially equal to the ram flux of ions on their front-facing surfaces. That is,  $F = n v$ , where  $n$  is the electron (and ion) number density, and  $v$  is the spacecraft velocity. If we let  $A_{\text{ram}}$  be the ram-facing conductor projected area, and if we let  $I_i$  be the ion current and  $q$  the ion charge, then

$$I_i = q n v A_{\text{ram}}, \quad (\text{eq. C.2})$$

which for LEO circular orbit becomes  $1.2 \times 10^{-15} n A_{\text{ram}}$  amps. For a density of about  $10^{12}/\text{m}^3$ , this gives a current of about 1 mA/m<sup>2</sup>. This, then, is a convenient rule of thumb for LEO ion current: about 1 mA per square meter.

Notice that for most purposes, the collected ion current depends only on the electron (and ion) density, whereas the electron current depends on the electron temperature as well. To first order, then, when there is a current balance condition determining the floating potential, only changes in the electron temperature will cause changes in the floating potential.

Insulating ram surfaces will float at a potential such that the ram ion and thermal electron currents are equal, or only a few volts negative at the most.

## **C.2.4 Current Collection by Solar Arrays**

### **C.2.4.1 Electron Collection**

Electrons can be collected on the positively charged cells of solar arrays by the cell interconnects, wiring traces, or cell edges. Solar array electron collection is intimately related to parasitic power drain, which is treated in Section C.2.4.3. However, here the discussion will be in more general terms.

For arrays that have fully exposed interconnects, cell edges, or power traces, electron collection is similar to that for wires or small spheres of the same total collecting area as the exposed conductors. One significant difference is that many solar cells have insulating coverslides. Since solar arrays by definition generate a voltage across each string, some of the solar cells, interconnects, or wiring will be at very different voltages than other parts. If a solar array string has 400 silicon solar cells in series, for instance, then one end of the string will be about 200 V more positive than the other. The total electron current collected will be the integral of the collection of all the cells at their respective potentials away from the plasma potential. This depends, of course, on what the system ground is and on what the floating potential of the system is. Wherever the system floats with respect to the ambient plasma, only the cells and traces with positive potentials will collect many electrons.

If the array's exposed conductors are partially hidden from the ambient plasma (such as being underneath overhanging coverslides or between closely spaced solar cells), then the coverslides can change the electron collection greatly. It has been shown that a coverslide with an overhang at least as big as the cell-plus-adhesive thickness will block electron collection at the cell edge very effectively, cutting it by a few orders of magnitude. Also, cell edges on cells that are separated by less than about 32 mils have greatly reduced electron collection (Chock, 1991a and 1991b). One way of thinking about this reduced electron collection is that it becomes difficult or impossible for thermal electrons to "make the turn" to be collected at the cell edges. For such solar arrays, it is often the case that the lower the ambient electron temperature, the greater the electron collection, since more of the ambient electrons can "make the turn." This is the case for the ISS arrays, where the greatest amount of electron collection, and thus the worst system charging, occurs when the ambient electron temperature is the lowest.

It is possible for the solar arrays to undergo snapover if they are at high enough positive potentials (see Annex C, Section C.2.4.2). It is believed that snapover depends on the secondary electron emission characteristics of the solar array insulators. Contamination and/or texturing by atomic oxygen can decrease snapover. In ground tests, oil contamination was seen to prevent snapover completely on some samples. If snapover does occur, then it is possible for the solar array to have an effective electron collection area as great as its entire geometrical area, rather than the tiny fraction of the array area that is normally occupied by interconnects or cell edges.

The solar array itself can provide a wake to block its own electron collection. For a sun-pointing array in equatorial LEO, the electron collection will be at a maximum near sunrise and will shut off at about noon, when the array goes into its own wake. Of course, at night, when the plasma is not dense and the array is not generating voltage, electron collection will be minimal. Thus, solar array electron collection in LEO is important, and can lead only to a great deal of system charging, for only about 1/3 of each orbit (the morning side).

### C.2.4.2 Snapover

The phenomenon of snapover was observed in the early 1980s when power system designers first began experiments with high-voltage arrays. Although the process is broadly understood, many of the details are controversial and remain an active area of research.

Suppose a flat conducting plate is covered with an insulator and in this insulation there is a pinhole. If the plate is biased by a power supply and placed in plasma, then it will collect current. For low voltages, current collection will be linear with bias voltage. Although the remaining surface cannot collect charge, it nevertheless is the source of an increasing electric field. This field results in ion bombardment of the insulator and secondary electron emission. The result is a rapidly growing sheath that collects charge and funnels it effectively to the pinhole. What is observed then is this: As voltage is increased from zero, current is collected linearly. At some point, current collection increases exponentially and finally saturates at a current level that is approximately the same as if the entire plate were conducting. On a solar array, the interconnects, wire traces, or cell edges act like pinholes; they are the conductors to which the current is funneled. The solar cell substrate and/or coverslides act like the insulator in the above example; they are the dielectric that furnishes the secondary electrons, and they act as a current-collecting plate.

The phenomenon is quite striking with conventional solar array designs and is easily observed in plasma test chambers. Here, these are solar cells that are covered by insulating coverslides connected to each other by small, exposed metallic interconnects. At low voltages the interconnects collect current roughly linearly with voltage. At around 150 V to 200 V, the onset of snapover can be observed, and by about 600 V, the array is fully snapped over.

Avoiding snapover has become a major design issue. Strategies include insulating all surfaces, where practical, and choosing insulators with low secondary electron emission yields. While simply insulating all conducting surfaces provides initial protection, cracks or pinholes are difficult to avoid when materials must withstand years of exposure to harsh space conditions. It should be noted that pinholes in high-voltage insulation usually expand as the large current density funneled through them destroys additional material.

On the other hand, experience has shown that insulators having conductors exposed through cracks or pinholes, if much smaller than the Debye length in the plasma, do not snap over:  $\lambda_D = 743(T_e/n)^{1/2}$ , in cm, where  $T_e$  is the electron temperature in eV, and  $n$  is the electron density in  $\text{cm}^{-3}$ . This is because the primary and secondary electrons (if any) are collected directly by the conductor and do not produce a cascading effect. (See eq. D.1 in Annex D, Section D.3. For LEO conditions,  $\lambda_D$  can be as small as 0.1 cm.)

As an example of a snapover-like effect on real solar arrays, consider the data in Figure C.1. The Advanced Photovoltaic Solar Array (APSA) was a very lightweight design proposed for widespread use in the early 1990s. Originally designed for deployment in GEO, the APSA blanket material was carbon-loaded Kapton®, which had sufficient conductivity to avoid the differential charging that is a common problem in that environment. Proposals to adapt APSA technology to LEO recognized that atomic oxygen would destroy the blanket material within a matter of days. The LEO prototype was therefore designed with a blanket of germanium-coated Kapton®, which would be resistant to atomic oxygen attack. This material is not as conducting as carbon but is still a weak conductor.




Figure C.1 — Electron current versus bias for three solar array blanket materials (Hillard, 1994)

Three sample coupons that were as close to identical as possible except for the blanket material were constructed. One was made from uncoated Kapton®, and the other two had blankets coated with carbon and germanium, respectively. They were tested in a space simulation chamber for current collection as a function of applied bias voltage. As the results show, the highly insulating Kapton®-H, shown in Figure C.1 by the curve designated “H,” collected current linearly until around 300 V. Current rose rapidly until about 400 V, when it became exponential, the signature of snapover. The weakly conducting germanium-coated blanket collected linearly only until about 125 V when it began its rapid rise, and the much more conducting carbon blanket collected exponentially almost from the beginning. These experiments showed that the blanket itself could become involved in the snapover process and pointed to the critical need to test all proposed array coatings for plasma effects (Hillard, 1994). That is, with conductive blankets, the inherent conductivity can substitute for the secondary electron-induced conductivity to give snapover even at low voltages.

#### C.2.4.3 Parasitic Power Drain

Current collection from solar arrays or other conducting surfaces not only poses the threat of damage to the surfaces involved but also can reach levels that result in a significant loss of power. Over the years, many efforts have taken place to use the basic equations of plasma physics to estimate the magnitude of this loss, and one of them is presented here to illustrate the effect.

The high-voltage solar-cell array for a high-power satellite looks more like a sheet electrode than like a spherical probe. K. L. Kennerud developed a method of analyzing the leakage current from such arrays based on fundamental equations developed by I. Langmuir (Kennerud, 1974). Kennerud's technique converts the linear array into a sphere having the same area, and then calculates the radius of the electron sheath surrounding the array. His experimental results with small, positively charged solar-cell panels correlated well with his predictions. Kennerud's results, shown in Table C.1, can be used to understand how the effect scales with altitude for the hypothetical solar array that he used.

Table C.1 — Leakage current from positively charged solar arrays (Kennerud, 1974)

Array Altitude (km)	Electron Density, $N_e$ ( $\text{cm}^{-3}$ )	Electron Temperature (K)	Leakage Current		Power Loss Percentage
			nA/cm <sup>2</sup>	Amps per 1500V String <sup>a</sup>	
500	$6 \times 10^5$	3000	824.5	0.8494	7.72
700	$2 \times 10^5$	3000	274.8	0.2891	2.57
1000	$7 \times 10^4$	3000	96.19	0.0990	0.90
2000	$2 \times 10^4$	3200	28.38	0.0292	0.265
30000	$1 \times 10^2$	13600	0.29	0.0003	0

<sup>a</sup> The string is 0.404 m x 255 m, with an area of 103.02 m<sup>2</sup>.

Such rough calculations fail when the geometry becomes more complex. In particular, solar arrays with hidden interconnects (e.g., the ISS arrays) can collect current very differently from those with exposed interconnects. The ISS solar arrays, counter to intuition, collect more current at low electron temperatures than at high electron temperatures. Models have shown this phenomenon is caused by an electric field barrier to high-energy electrons. However, modeling electron collection by using spheres of equivalent “effective” area is very useful and is incorporated in computer codes such as Environments WorkBench (EWB). Modern computer codes, such as the NASA Charging Analyzer Program (NASCAP) series described in Section E.1, will provide accurate estimates of parasitic power loss for any geometry. At high positive potentials, snapover can make a solar array appear to be completely conductive. In addition, if a glow discharge caused by neutral gas ionization occurs on the array, then the current collected can shoot up to tremendous levels (Ferguson et al., 1998; Vayner et al., 1999). Finally, electric propulsion thrusters or plasma contactors, if placed in the vicinity of solar arrays, can short-circuit the plasma collection circuit and constitute a significant drain on the system power supply.

### C.2.5 Ion Collection

Snapover does not occur for ions, and the ion collection for solar arrays is almost always a linear function of negative voltage. Again, the total array collection is the integrated value of all negative cells at their respective potentials away from the ambient plasma, but for most solar arrays, this collection is small compared to ion collection from the structure. In the case of the ISS, for example, Ferguson and Gardner (2002) could completely ignore solar array ion collection in modeling the ISS floating potential. When the array is in its wake, ion collection is further reduced.

### C.2.6 Current Collection at High Frequencies

In general, little work on plasma effects involving high-frequency power systems has been done. While significant new effects are not expected, most parameters of interest such as corona inception and extinction voltages are expected to exhibit frequency dependence. One effect did emerge in the early 1990s concerning insulated conductors that were energized with 20 kHz AC and exposed to LEO plasma conditions (Button et al., 1989). This work was underway because Space Station Freedom was originally designed to use such a power system. Research was suspended when the Space Station was reconfigured to use DC power.

If a conductor energized with low-frequency AC is placed in LEO plasma, then electrons are attracted to the insulating surface during the positive part of the cycle. These electrons “stick” to the material with a characteristic energy and are not repelled when the polarity changes to negative. Ions, however, are attracted during the negative part of the cycle and neutralize the electron charge for no net effect. At high frequencies, this neutralization process does not occur. Highly mobile electrons are still attracted during

the positive part of the cycle, but ions, because of the much larger mass, cannot respond to the rapidly changing field. The outer surface therefore charges to a negative potential close to the peak voltage on the power system waveform and remains charged.

Although ions cannot respond to the rapidly changing voltage waveform, they do respond to the buildup of negative charge on the surface. The resulting ion flux results in equilibrium where the surface is charged, as a rule of thumb, to about 90 percent of the peak voltage level used in the system. For a high-voltage system, ions will easily acquire sufficient energy to sputter material from the insulation. Such charging can have a number of other implications that could include an arcing hazard, depending on where such surfaces are located with respect to other conductors.

Another effect due to high frequencies is called “multipacting.” When collecting high energy electrons in a high frequency system, multiple secondary electrons can be produced, which, when they impact, can produce a cascade of current. In systems where this cascade is undesirable (ie traveling wavelines, etc.) materials should be used that have a very low secondary electron emission characteristic, ideally ones with no region of greater than one secondary per incoming electron.

### C.2.7 Wake Effects

Because an LEO spacecraft is supersonic with respect to the ions it flies through, a wake, essentially devoid of plasma particles of both signs, will form behind it. In LEO, the ambient ions are traveling at a thermal speed of about  $9.79 \times 10^5 (T_i/m_i)^{1/2}$  cm/s, where  $T_i$  is the ion temperature in eV, and  $m_i$  is the ion mass in amu. A  $T_i$  of 0.2 eV (typical) and an  $m_i$  of 16 (atomic oxygen) gives an ion speed of about  $1.1 \times 10^5$  cm/s, and a Mach ratio of about 5 for LEO orbit. Thus, the wake of a large body will extend as a cone about five times as long as it is wide. In this region (a sort of umbra), ion and electron densities will be severely depressed, and the remaining plasma will be at a high temperature (perhaps ten times that of the ambient plasma). In a surrounding region (a kind of penumbra), bounded by the shock wave, the plasma will be disturbed, but it is believed that the major effect will be hotter electrons than ambient. Beyond the penumbra, the plasma will be normal (Ferguson, 1985). Measured details of wake structure can be found in Raitt et al. (1984) and Murphy et al. (1986).

Instruments to measure plasma parameters in LEO should be placed beyond the plasma sheath surrounding the structure (normally a distance of 0.3 m to 0.6 m will suffice) and outside the wake of any structural element. In the case of the floating potential probe (FPP) on the ISS, a compromise position that placed FPP outside the umbra of any structural element and on a pole to place it outside the plasma sheath was chosen, but it could not be placed out of the penumbra of some structural elements. Resulting plasma temperatures measured by FPP are considered to be higher than ambient temperatures, but the plasma densities seem reasonable. For instruments in such suboptimal placements, calibration must be done to convert measured parameters into ambient values, and such work is now proceeding with FPP. For a detailed discussion of wakes of large and small bodies orbiting in LEO, see Samir et al. (1986). For detailed scientific information about wake structure, see the works of Nobie H. Stone (1981, for example), who has devoted much of his life to researching this topic.

## C.3 Arcing

### C.3.1 Solar Array Arcing

#### C.3.1.1 Background

Until recently, the majority of spacecraft primary power systems used solar arrays and rechargeable batteries to supply 28 V. The choice of 28 V for the main bus voltage was made to take advantage of long-existing standards and practices within the aircraft industry. Plasma interactions at 28 V have not been generally considered a degradation factor of consequence. The only noted exceptions to their benign nature have occurred under extreme environmental conditions, especially during geomagnetic substorms for spacecraft operating at high inclinations. For low-inclination spacecraft (i.e., those that completely avoid the auroral oval), 28 V systems have not been observed to arc.

Solar array arcs are generally characterized by the following parameters:

- ## Peak Currents of Plasma Arcs

31

Although many different taxonomies have been proposed for classifying arcs based on combinations of the above properties, these have generally been the work of physicists and have been designed to clarify issues for further research. For the design engineer concerned with risk mitigation, the following is a simpler scheme that assigns arcs to only two categories:

1. Fast transients (primary or trigger arcs): the most common solar array arcs, which are characterized by rapid rise time followed by extinction in a time that is several times the rise time. The critical parameter is that the energy involved is stored in whatever capacitance is available. The available capacitance can vary from a single array string to the entire spacecraft, depending on design. These arcs give rise to EMI but otherwise are not generally associated with significant permanent damage on small spacecraft. On the ISS and other high-power systems, however, the energy stored in the capacitance electrically connected to the arc site could cause significant damage to a solar cell or power trace. Of course, repeated arcs at the same arc site can lead to degradation and failure even if the individual arcs are not very energetic.
2. Sustained arcs (continuous arcs): events that have been attributed to the destruction of on-orbit solar arrays. Generally, the process begins with a fast transient (a so-called "trigger arc"). Under some conditions, the transient develops into a long-lived arc that is fed directly by the entire array, effectively becoming a short-circuit. Sustained arcs invariably involve large quantities of energy and can be severely damaging to cells, interconnects, and power traces.

Because all events begin as a fast transient, and most do not evolve beyond this phase, the fast transient type of arc has been the object of the most research in solar array arcing. The more destructive continuous arc has been observed only in the past few years as power levels have increased (causing higher and higher string voltages to be used). In addition, the drive to ever-more-compact string layouts has resulted in some unfortunate design choices. Sections C.3.1.2 to C.3.2 are therefore organized around the fast transient event. Section C.3.3 will summarize what is known at this time about continuous arcs.

### C.3.1.2 Initiation Mechanism

The initiation of a solar array arc depends on the presence of a strong local electric field. Frequently, the source is an exposed interconnect, which, depending on its location in the string, can be at high potential. Most problematic are arcs that initiate at triple-points. A triple-point is a point in space where insulator, conductor, and plasma all meet. For a solar cell operating in LEO, this is usually the solar cell interconnect, but it can also be the edge of the solar cell (near the substrate or the coverslide). It has been shown that arcing on solar arrays at voltages less negative than about -1000 V is always mediated by the presence of a plasma. Identical samples to those that arced at -100 V in a plasma have been shown to withstand -1000 V bias in a pure vacuum. Arcs that occur in a pure (plasma-free) vacuum are called "vacuum arcs." For details on vacuum arcs, see Latham (1995). Succeeding paragraphs discuss theories for the triple-point arcs that occur only in plasmas.

Arcs have been observed at relatively low potentials (as low negative as -75 V) when conductor surfaces are biased negative near insulator surfaces in the presence of a plasma. Arc rate is strongly dependent on plasma density and on coverslide temperature, which affects the surface conductivity. It can range from intermittent (on a scale of minutes and perhaps hours or longer) to several per second. Arc currents observed in ground tests are on the order of an ampere and can last several microseconds. These characteristics depend on the capacitance to space, increasing with increasing capacitance. These arcs are usually associated with solar cell array interconnects but have also been observed on biased conductor surfaces covered with dielectric strips. They are likely to be of concern whenever conducting surfaces at negative potentials with respect to plasma abut insulating surfaces.

Several mechanisms are proposed for initiation of the arcs. Because much higher voltages are required to initiate arcs in a pure vacuum than in plasma, the plasma arc must not be a so-called vacuum arc but is



initiated at much lower electric field strengths. One favored mechanism proposes that a thin layer of relatively insulating film develops on the conductor. High electric fields develop across the film, caused by ion collection on the exposed face. The resulting electric field across the film causes electron emission from the conductor through the film into the plasma (Jongeward et al., 1985). A second, though perhaps related, mechanism assumes that the high electric fields at the edge of the dielectric cause propagation of secondary electrons to the dielectric surface from near the conductor-dielectric-vacuum interface. Also, sufficiently intense electric fields can develop locally at the tips of structures built on the conductor surface because of the mobility of surface atoms driven by the electric field resulting from the presence of the nearby dielectric surface. However, this "structure-related" arcing requires thin whiskers that have not been seen on realistic samples. Finally, gas desorbed from dielectric surfaces by electron impact can become ionized and serve as an ideal current path for the full-fledged arc.

At this time, no complete theories exist for the arc mechanism on solar cell arrays in a plasma. All require inclusion of an empirical factor to produce the observed low arcing voltage thresholds at triple-points. Experimental evidence indicates that an electron emission mechanism plays an important role in producing the arcs. A preliminary theory that has been advanced relates electron emission to the charging of a "dirty" layer on metal surfaces and the electric fields near an insulator-conductor-insulator surface configuration. This theory accounts for some of the experimental observations.

An electron emission mechanism for solar array arcing is consistent with several experimental observations. Kennerud (1974) observed that the apparent ion collection of a solar cell array was enhanced by an order of magnitude prior to arcing. This could be accounted for by either electron emission or an increase in ion density of the plasma. Snyder and Tyree (1984) observed this emission as an increase in electron current collected by sensors in the tank with the solar array. They also noticed that these currents did not cease when the plasma generator was turned off. Arcing could still occur with no plasma in the tank as long as these emission currents were detected. Snyder (1984) also noticed that arcs did not take place in a very low-density plasma ( $10^2 \text{ cm}^{-3}$ ).

The occurrence of arcs can be predicted from the potential of the solar array coverslides relative to the plasma. In a very low-density plasma, even at relatively high bias voltages, the coverslides remained near plasma ground, and no arcs occurred. At higher plasma densities, the coverslide potentials became several tens of volts more negative than plasma ground. When this condition existed, arcs occurred. Electrons from the plasma do not have enough energy to pass through the energy barrier set up by the biased interconnects and to reach the insulator surfaces (Parks et al., 1986). Electrons emitted from the interconnects of the array cause the coverslides to charge negatively relative to the plasma. These observations indicate that electron emission is necessary before the current pulse of the arcs can occur. Galofaro et al. (1999) have shown that an arc is always preceded by a nanosecond burst of electrons from the arc site. This burst can also ignite arcs on nearby surfaces.

Jongeward et al. (1985) proposed an arc mechanism model to account for this emission. The negatively biased interconnects tend to collect positive ions from the plasma. A layer of relatively high resistance material several angstroms thick can collect a sufficiently high surface density of positive ions to permit field emission of electrons from the region. This mechanism was first proposed to account for enhanced secondary electron yields from oxide films (Malter, 1936). Electrons emitted from this site are accelerated by the electric field between the cell or interconnect and the coverglass surface and then strike the coverglass edge, which then emits secondary electrons in a cascade. Adsorbed gases are desorbed by electron impact. Ionization of these desorbed gases produces a dense plasma, which is necessary for large currents to flow (Cho and Hastings, 1991). Some inferences that are consistent with the experimental observations can be made. There must be enough ion flux to the interconnect to maintain a high surface charge on the high-resistance layer. The metal-insulator geometry provides a focusing effect that increases the ion flux to the interconnect and maintains the surface charge density. Field emission accounts for the relatively steady emission, which probably represents a metastable situation. The solar array arcs arise when this stability breaks down, producing increased electron emission.

This model predicts the time duration and current of the arcs to almost a factor of two. Progress in predicting arc rates using this model is also being made. For instance, Perez de la Cruz et al. (1996) were successful in modeling the arc rates and thresholds seen in the SAMPIE experiment. The importance of adsorbed contaminants has been experimentally verified by Vayner et al. (2002).

Brandhorst and Best (2001) have shown that solar array arcs can be initiated in the laboratory by simulated micrometeoroid strikes.

### C.3.1.3 Arcing Threshold

In an attempt to consolidate all known arcing information on solar arrays, Ferguson (1986) has analyzed the arcing data from the Plasma Interactions Experiment-II (PIX-II) array and compared them to other ground and flight data (see Figure C.3). Figure C.3 is reproduced in Hastings (Hastings et al., 1992a and 1992b; Hastings, 1995) with theoretical predictions superimposed. The ground and flight data reported there are from Ferguson (1986).




Figure C.3 — Arc rate versus voltage for standard interconnect cells (Ferguson, 1986); threshold shown is inferred from the plasma arcing measurements

Ferguson's conclusions are listed here (parenthetical material has been added to Ferguson's original conclusions):

- a. A threshold for arcing of 2x2 cm solar cells into the plasma appears to exist near -230 V (with respect to the plasma). A threshold can exist for 5.9x5.9 cm cells at a lower voltage but is not yet proved. (More modern studies have found thresholds as low as -75 V for specific array designs. The difference in threshold is more likely caused by coverslide thickness than cell size.)
- b. The arc rate at voltages above the threshold seems to be a power law of the voltage. This, combined with a nearly linear dependence of arc rate on plasma density, produces an apparent "threshold" that varies with plasma density. (Here, "above" means for voltages more negative than the threshold voltage. The apparent threshold is just because the "waiting time" for an arc to occur has exceeded the measurement interval.)
- c. The arc rate decreases to a steady value on a timescale of a few hours. It is not yet clear whether this is caused by repeated arcing or by exposure to the plasma. [Further studies (Vayner et al., 2002; Galofaro et al., 2002) have shown that this is caused by both: Outgassing into the vacuum removes contaminants over time, and arcs destroy contaminant islands in their burst of plasma.]
- d. The arc rate can depend on the plasma density to the first power, on the square root of the ion temperature, and inversely on the square root of the ion mass. (That is, the arc rate increases with increasing ion flux onto the sample.)
- e. No significant dependence of the arc rate on the number of cells or interconnects could be found in the data. (This is still the case—the most likely arc site goes first, but there is no dearth of other arc sites when the charge builds back up. That this occurred in the data showed that each arc nearly completely discharged the available capacitance. Schemes to prevent an arc from communicating with cells or strings other than the one on which it occurs can be proposed, but in general all electrically connected cells or strings will contribute capacitance-stored energy to the discharge.)
- f. The arc rate is greater in the flight test conditions than in ground tests, possibly because of the atomic oxygen plasma in LEO. [It is unclear what other differences affect the arc rate, although cell temperature is clearly important in subsequent flight data such as Photovoltaic Array Space Power Plus Diagnostics (PASP Plus).]
- g. The arc rate in cells with exposed conductors on the backs, as in welded-through substrates, is higher at all likely arcing voltages than the rate for cells exposed to the plasma only on the fronts. (This effect could be caused by copper being exposed on the backs, as contrasted with silver on the fronts.)

Studies by Upschulte et al. (1994) and Hastings et al. (1992a and 1992b) confirm that a voltage threshold exists for solar array arcing and that for certain values of a parameter called the field enhancement factor (FEF) (Cho et al., 1990), reasonable values of the threshold are predicted. Vayner et al. (2001) have shown that arcing is enhanced primarily by the presence of desorbing contaminant layers, although thin coverslides and other geometrical factors can also enhance the electric field and lower the arc threshold. Snyder et al. (1998) have shown that hot arrays (100° C) have a higher arc threshold than cool arrays (room temperature) in ground tests, presumably because the coverslides become more conductive at high temperatures. These results were confirmed on-orbit in the PASP Plus experiment for the APSA-type solar arrays (Soldi and Hastings, 1995).

#### **C.3.1.4 Typical Waveform**

Figure C.4 shows the time dependence of the current from an array segment during a "trigger arc" (Snyder and Tyree, 1984). A typical arcing sequence has the following four regions:

- I. The arc is initiated, and the current increases to a peak value. The rise time varies from less than  $0.1 \mu\text{s}$  to about  $1 \mu\text{s}$ . The peak amplitude and rise time depend primarily on the capacitance electrically connected to the arc site.
- II. The current then remains near the peak value for some time.
- III. The current decreases with a roughly exponential decay. The decay time associated with the termination of the arc should not be confused with the total duration of the arc. During this decay, the current is space-charge limited.
- IV. The arc terminates suddenly, and the array begins to recharge to the bias voltage. At this point, the coverslides of the array are substantially positive relative to both space and the arc point. The coverslides collect a substantial electron current from the plasma, resulting in the observation of a slight negative pulse.




Figure C.4 — Typical waveform for an arc (Snyder and Tyree, 1984)

### C.3.1.5 System Response

Arc currents can flow out into the surrounding plasma, with the return currents distributed over wide areas of other spacecraft surfaces.

During an arc, two things will happen: As charge leaves during an arc, the potential of the arc site changes, and the potential of the system, electrically connected to the arc site, will change. As a result of the potential change, return currents will flow to restore equilibrium. The return currents will come both from the surrounding plasma and from the arc-generated plasma. There are two impacts on other systems: The structure currents will look like noise to instrumentation, and the change in spacecraft ground will affect plasma currents to surfaces. In principle, these responses are the same for transients of any cause: docking, thruster firings, waste dumps, and beam experiments. Only the magnitudes will be different.

The response of a system to an arc can be estimated from a circuit analysis including terms to approximate the capacitances of the surfaces to space. An arc can be simulated in such a model by injecting an appropriate current pulse and computing the circuit transients (Metz, 1986).

### C.3.1.6 Damage Potential

Initial indications that sustained arcs could cause substantial damage to solar arrays were obtained in testing where the bias power supply, intended to impress a potential difference between an array and its coverslides, was not sufficiently isolated from the sample when arcs occurred (see Section C.3.3). Tests at Lewis Research Center (LeRC), now Glenn Research Center (GRC), in the 1980s showed that solar array interconnects could be melted by arc currents as large as 40 A (Miller, 1985).

Although pictures of damage produced by on-orbit sustained arcs are rare because most arrays that have arced are not recovered, we do have photos of damage suffered by the European Space Agency (ESA) European Retrievable Carrier (EURECA) spacecraft that was recovered by the Space Shuttle. Figure C.5 shows a sustained arc site on its solar arrays. In this case, the sustained arc eventually burned through the array substrate to the grounded backing, completely shorting the array string to ground.




Figure C.5 — Sample of flight array from ESA EURECA mission after sustained arcing (Ferguson and Hillard, 2003, p. 25)

The Space Systems/Loral Commercial Communications Satellites PAS-6 and satellite Tempo-2 underwent sustained arcing in GEO, and this led to several shorted solar array strings and a severe loss of power. Although these were GEO failures, it is believed that after the initial arc occurs, the mechanism for sustained arcing is the same for LEO. Subsequent SS/Loral satellites underwent extensive modification to prevent sustained arcing and have had no similar string failures since that time. These modifications were the following:

- a. Changing the array layouts so that strings with high voltage differences were not adjacent to each other (leap-frogging)
- b. Including blocking diodes to prevent high currents from flowing during an arc

- c. Grouting the cell edges on the strings with the highest voltage differences to prevent arcs from being sustained between strings

A sustained arc on a test sample of arrays for the Earth Observing System—Morningside 1 (EOS-AM1, now Terra) satellite was seen in laboratory testing. Figure C.6 is a frame from the videotape taken during the test, and Figure C.7 shows the vicinity of the site where the arc occurred. The capacitor used in this test to start the initial arc was 5 microfarads, and the arc started and continued until the power supply was manually shut off seconds later. The solar array string was completely shorted out. This test led to rework of the entire array on the Terra satellite to prevent arcing on orbit. Flat-pack blocking diodes were incorporated into each string to prevent high currents from flowing during an arc, and Kapton® tape was used to cover exposed power bus conductors. The modifications made to the EOS-AM1 and SS/Loral arrays are incorporated in the standard in Section 5.1.5b.



Figure C.6 — Video frame from EOS-AM1 sustained arc test (Ferguson and Hillard, 2003, p. 26)




Figure C.7 — Arc site of sustained arc on EOS-AM1 sample array (Ferguson and Hillard, 2003, p. 26); cells are 2 x 4 cm

The most famous sustained arc event of all led to the breakage of the TSS-1R electrodynamic tether and to the loss of the attached satellite. Figure C.8 shows the burned, frayed, and broken tether end still attached to the Shuttle after the break. Incidentally, the tether continued arcing long after it and its satellite were drifting free, until finally it went into night conditions where the electron density was insufficient to sustain the arc. Noel Sargent (2002) has investigated whether the high-current and long-duration TSS-1R arc was seen to disrupt Shuttle communications. Although Sargent found no record of disturbed communications during the event, for most of the time, the arc was shielded by metallic structures from the communications antennas, and when the tether broke, the arc was many meters from the receiving antennas. We do not know whether sustained arcs produce radio noise severe enough to be a communications problem.





Figure C.8 — The end of the remaining TSS-1R tether (Ferguson and Hillard, 2003, p. 27)

When the structure or array capacitance electrically connected to the arc site is sufficiently large, the initial transient arcs themselves can be large enough to produce significant damage. Figure C.9 shows an anodized aluminum plate that has undergone repeated arcing in the laboratory with the correct ISS structure capacitance attached. After prolonged periods at potentials above the arc threshold, it is expected that the ISS surface would take on this appearance. Its thermal properties have been completely destroyed, along with most of the insulating surface layer of aluminum oxide. Because it was not feasible to redesign all of the surfaces on the ISS or all of the connections between surfaces to eliminate the enormous connected capacitance, a plasma contactor was baselined for the ISS to prevent charging to arcing voltage levels.



Figure C.9 — Anodized aluminum plate after repeated arcing (Schneider et al., 2002, p. 2)

### C.3.1.7 EMI

Solar array arcs typically involve the violent discharge of very large currents for very short times. Not surprisingly, the electromagnetic spectrum associated with such discharges obeys the typical power law that has long been observed with arc discharges. An example of such a spectrum is shown in Figure C.10 (Leung, 1985). The test article was a small solar array sample that was proposed for a plasma interactions experiment in the Space Shuttle cargo bay. The test was designed to learn whether the radiated EMI from the sample would exceed orbiter specifications. The test was done with the bare array alone and with an added capacitance that simulated the energy storage associated with a full-size array.



The biasing power supplies were electrically isolated from the arcs by a large resistor. As the curves show, even arcs from a small test array exceed allowed EMI specifications over most of the frequency range. It should be expected that arcing will always produce detectable EMI and that laboratory testing will be needed to quantify the level of interference. The magnitude of radiated EMI is a strong function of the “antenna gain” composed of those conductive (radiating) elements connected to the arc site. This effect heavily influences the shape of the radiated EMI spectrum (Sargent, 2002). Because antenna gain is extremely difficult to estimate, testing is essential. If the ESD amplitude is too large, then there is potential for damage to receivers. For more recent and complete data than shown in Figure C.10, see Leung and Tettemer (2012), and Bodeau (2001).




Figure C.10 — EMI from a small solar array arc and a hypothetical ISS anodized aluminum arc compared to Space Shuttle Orbiter's specifications (after Leung, 1985)

### C.3.2 Structure Arcing

Generally speaking, there are two forms of structure arcing: triple-point arcing, as has been discussed for solar arrays; and dielectric breakdown. For triple-point arcing, an insulator must surround a highly negative conductor, and an arc can occur at the conductor-insulator-plasma conjunction, where the electric field is highest. Dielectric breakdown is completely different.

An insulator not in the wake in LEO will come through current balance to a potential within a few volts of the plasma potential. If that insulator covers a conductor, then the conductor can be at a very different potential (e.g., the negative floating potential of the spacecraft). In this case, a thin insulator can undergo dielectric breakdown under the high electric field developed across it. While this can occur for any type of insulator, it is of perhaps greatest interest in the case of anodized aluminum, the main ISS structural element and a material used in astronaut Extra-vehicular Maneuvering Units (spacesuit) (EMUs). Because the dielectric layer in anodized aluminum is typically very thin (from 0.1 mil to 1 mil), it can break down at potentials as small as -60 V or less—less than the negative floating potential that is possible for a 160 V array.

The arcing threat from the ISS anodized aluminum forced the ISS to incorporate the PCUs to control the ISS floating potentials. The PCUs act by creating a large localized plasma cloud that makes good electrical contact with the surrounding plasma and, essentially by brute force, grounds the ISS structure to the ambient plasma. A generic plasma-contacting device is called a “plasma contactor.” Different samples of anodized material break down at different potentials in a plasma (Hillard et al., 2000). Although ISS sulfuric acid anodize withstands about -200 V before breaking down, the chromic acid anodize was found in ground tests to break down at about -72 V. Most disturbing of all, chromic acid anodized samples for astronaut EMUs were found to break down at potentials of only -60 V, relative to the plasma, with a two-sigma error bar of 10 V. It is thus possible that an astronaut, grounded to ISS by tether or conductive tools, could undergo an arc at only -50 V. A sneak circuit analysis showed that such arcs could put > 40 milliamps of current through an astronaut’s heart (Koontz, 2005). This amount is enough to cause heart stoppage. It is therefore imperative that if the ISS plasma contactors are inoperable during astronaut Extra-vehicular Activities (spacewalks) (EVAs) a method be used to prevent ISS astronaut workplaces from floating more than 50 V negative.

Dielectric breakdown currents will essentially discharge all surfaces close enough (about 2 m) for the induced plasma cloud to reach. For thin dielectric layers, a few square meters of surface are effectively a capacitor of many microfarads and can hold several joules of energy, all of which can be discharged in the arc. For many ISS surfaces, peak arc strengths of hundreds of amps have been calculated. Arcs this strong will melt the arc site and spew molten metal through space. Plasma chamber tests of this kind of arcing are spectacular indeed! Arcs on one anodized surface have been seen to trigger arcs on nearby line-of-sight surfaces (sympathetic arcs; Vayner et al., 1998).

Very thin dielectric layers will have a low enough resistance that for the purposes of the plasma, they would collect current rather than building it up on their surfaces. Thus, while mitigating dielectric breakdown, they must be considered as conductors rather than insulators.

Predicting arc thresholds for thin insulating layers is not as simple as using the published dielectric strengths for insulating materials. It has been found that identical thicknesses of the same anodization can differ from lot to lot by a factor of three or more in arc threshold voltage in a plasma. This can be caused by differences in sealing the anodize surfaces, which could affect their resistance to plasma currents. Until the theoretical situation is better understood, plasma testing must be used to determine the dielectric strength of insulators in applications, which could lead to charging in LEO (Hillard et al., 2000). If possible, several samples should be tested from the same lot as are being flown. Production should be standardized as much as possible to ensure similar thresholds between lots.

Carruth et al. (2001) have found that dielectric breakdown can also be initiated by simulated micrometeoroid strikes at voltages as low as -75 V. In tests at the GRC, anodized aluminum plates were seen to break down in a simulated space plasma at voltages as low as -55 V (Galofaro et al., 1999).

### **C.3.3 The Continuous Arc (Sustained Arc)**

Arcs that occur in air when electrical contacts are made or broken are caused by breakdown of the neutral gas (Paschen discharge). Although these can become continuous (“showering arcs”), they are not the same phenomenon as the continuous arcs in a LEO environment, which involve breakdown of the gas liberated by the arc itself. [See Holm (1999) for a discussion of continuous arcs in air.]

When the LEO arc circuit includes the solar arrays, distribution cabling, or another source of power, it can be possible for structure arcs or solar array arcs to become continuous (or sustained). Such continuous arcs, fed by the power supply, have an essentially inexhaustible source of energy and can lead to catastrophic damage. This hypothesis for the loss of solar array strings on the SS/Loral satellites PAS-6 and Tempo II was confirmed by ground tests done by Snyder et al. (2000). Later testing on the EOS-AM1 arrays showed that continuous solar array arcs could occur in an LEO environment at a string voltage as low as between 100 V and 120 V. (In those tests, the sustained arc occurred at a voltage relative to the surrounding plasma of -250 V.) Recent data (Vayner et al., 2004) have shown that strings with potentials

as low as 40 V with respect to each other can lead to sustained arcing. The scenario for the catastrophic loss is given in Ferguson et al. (1999) and is summarized here as follows:

First, an ordinary solar array arc must get started, usually at a triple-point, as described in Section C.3.1.2. In the case of the SS/Loral arrays, the differential voltage between solar array and plasma could have been as low as 100 V, since the SS/Loral arrays were using thin coverslides similar to the APSA cells, which arced at voltages as low as -75 V on-orbit. (See the PASP Plus results in Soldi and Hastings, 1995.)

When the initial arc (sometimes called the primary or trigger arc) is generated, it discharges only the local capacitance, but the arc plasma expands out from the arc site and comes in contact with an exposed conductor at a very different voltage. In the case of the SS/Loral arrays, the most positive end of the array strings was less than a millimeter away from the negative end. Now, the arc plasma makes direct contact with the other conductor and makes for an almost dead short to that spot. The arc current has changed from one that is discharging capacitance to a current between two ends of the solar array string. See Katz et al (1998), Hoeber et al (1998), and Davis et al (1999) for more information about the SS/Loral failures.

If the current available to the arc site from the functioning array is greater than a certain threshold value (believed to be about 1.5 amp for some array designs) and the voltage between strings is above a certain value (believed to be about 40 V for some array designs), then the arc can become continuous. In ground tests, these arcs continued until the source of power was artificially turned off. In space, the arc would presumably continue until the exposed conductors were melted through and the circuit was thereby interrupted. This process could take seconds or minutes. Ground tests have shown that an arc that persists for more than a few hundred microseconds will not shut off by itself.

An arc that lasts long enough will locally heat the substrate and release gases. In the case of a Kapton® substrate, the Kapton® chars, but the char is also a good conductor, providing a path for the arc to continue. Snyder et al. (2000) have shown that the heat generated in continuous arcs on Kapton® is sufficient to produce the Kapton® charring measured after the event.

In any event, a continuous arc can destroy a whole string (if the arc is between traces on the same string), adjacent strings (if the arc is between strings), or the entire array power (if the arc is between combined power traces). The possibility of losing the entire array power on the Deep Space 1 mission caused the builders to remove a solar panel that had already been installed to modify it and its sister array to prevent continuous arcing. Its power traces were only a few millimeters apart and were exposed both to the plasma and to each other before the modifications were made. Afterwards, insulating material was used to prevent arc plasma from shorting out between the power traces.

ADEOS-II (Midori) is an example of a spacecraft where the power system was completely destroyed by a sustained or continuous arc (Maejima et al, 2004). It was in a LEO polar orbit, so the charging that produced the trigger arc was of a different nature than a satellite in LEO equatorial orbit, but once the trigger arc gets started, there is essentially no difference between the situations.

Anodized aluminum structure elements can be subject to continuous arcing if the arc plasma generated can contact the solar array or another power source or if the potential at the arc site can be maintained at a high enough negative level by a high-voltage electron-collecting power source. Such continuous anodized breakdowns were called “sizzle arcs” by the team that discovered them (Murphy et al., 1992).

Finally, an arc on an electrodynamic tether can become continuous. The infamous arc on the TSS-1R tether that led to its break and the loss of the satellite was a continuous (sustained) arc with its power supplied by the tether. The arc site was a flaw in the tether insulation that spewed out gas, which became ionized and completed the arc circuit path (Szalai et al., 1996; Vaughn et al., 1997). In this case, the power source was more one of constant voltage rather than constant current. Therefore, the 3500 V potential difference between the tether top and bottom caused the arc site to float at just the negative potential (about -600 V) necessary to keep the arc going and still collect the ~1 ampere arc current of electrons on the satellite. Had TSS-1R used a tether of greater resistance, the threshold arc current could

not have been maintained. For example, a total tether resistance of 10,000 ohms would have limited the arc current to less than 0.4 amps, less than the sustained arc threshold. As an alternative, if the satellite electron collection capability had been limited to less than about  $\frac{1}{2}$  amp, then the arc could not have been sustained. Of course, these measures would have severely restricted the power or propulsion that could be obtained by tether operation and could not be tolerated on an experiment that was not just a proof-of-concept. An arc detection circuit could have also been used to shut the tether down at the satellite end when very large currents were first detected. One should never assume that a high-voltage power system will not arc.

## Annex D Mitigation Techniques (Informative)

### D.1 Current Collection

If a spacecraft has no exposed high-voltage conductors, then it will not collect much current. That is, insulation or encapsulation is a valid technique for preventing current collection in LEO. The GEO Spacecraft Charging Guidelines (Purvis et al., 1984) recommend coating spacecraft surfaces with conducting materials to keep all surface potentials the same and to reduce differential charging. Since much of spacecraft charging in equatorial LEO is due to the array voltages, and usually the spacecraft ground is the most negative surface, adding conductive surfaces in LEO typically exacerbates current collection, rather than helping it. In LEO, the space plasma will act to keep insulating surfaces at nearly the same potential (discounting wake effects), so conductive coatings are not needed. If encapsulation or insulation is not possible, then hiding conductive surfaces (like the edges of solar cells) from the ambient plasma by use of narrow spacing of overlying insulators (like coverslides) can choke off most current collection. It has often been remarked that if the ISS solar arrays had had just a little more coverslide overhang and/or a little tighter cell spacing, then the issue with ISS charging would not have occurred. Of course, if all high-voltage components are inside a sealed pressure vessel, then they cannot collect current from the ambient plasma.

Encapsulation, or grouting with Room Temperature Vulcanized-rubber (RTV), of solar arrays has been shown to be an effective method to prevent electron collection and charging (Reed et al., 2001). Of course, the grout must be UV and Atomic Oxygen (AO) resistant. Care must be taken in the use of encapsulants, however, when the possibility of outgassing in the presence of high-voltage components exists. For instance, on SAMPIE, one of the high-voltage power supplies was destroyed by a Paschen discharge that occurred on a high-voltage component where the encapsulant had delaminated and a neutral pressure was enclosed with the high-voltage component (Ferguson and Hillard, 1997). (See Figure D.1 for Paschen curves. Although these curves are for 400 Hz frequency, no substantial difference from DC conditions will be observed until the AC frequency is comparable to the plasma ion frequency, typically many kHz.) On TSS-1R, the “trigger arc” was a Paschen discharge due to entrained gas inside the tether pulley casings (Szalai et al., 1996; Vaughn et al., 1997). In this case, a flaw in its insulation exposed the tether conductor.

Placing plasma-current-collecting conductors into the wake of a large spacecraft is an effective technique for preventing current collection. On the ISS, for instance, FPP data showed that when the arrays were turned into their own wakes, they collected such a small amount of electron current that the ISS structure would not charge. On the ISS, this technique of wake-pointing the arrays is now used as a backup for the PCUs during astronaut EVAs. Of course, very high potentials on wake-pointing conductors can collapse the wake, but this will require thousands of volts potential for large structures.

For a spacecraft that will often undergo auroral passage, one must be careful with the use of insulators. As with spacecraft in GEO, spacecraft in the aurorae can undergo rapid differential charging on insulators, leading to buildup of potentials that might lead to arcing. For guidelines on designing polar orbiting spacecraft, see NASA-HDBK-4002A.




Figure D.1 — Voltage breakdown of pure gases as a function of pressure times spacing (Paschen curves for different gases; from Dunbar, 1988)

## D.2 Controlling Spacecraft Potential

There are three basic techniques to control spacecraft potential. The first is to place the structure at the most positive potential generated by the LEO spacecraft power system (the positive ground option). The second is to ground the structure by brute force to the ambient plasma (the plasma contactor solution). The third is to prevent any plasma exposure of high-voltage conducting surfaces (the encapsulation solution). These mitigation strategies are discussed in order below. For ideas about other ways to prevent spacecraft charging, see Ferguson et al. (2002).

### D.2.1 Positive Ground

Charging in LEO is dominated by current collection on the most positive end of the solar arrays, and the negative end typically floats at about 90 percent of the string voltage. Therefore, the positive end of the array will be about 10 percent of the array string voltage away from the plasma potential. For a 160 V array, this means a positively grounded structure will float at 16 V or less away from the plasma potential. Most deleterious plasma effects are minimal at such a potential. In fact, the structure in this case contributes to electron collection and actually floats closer to plasma potential than the positive end of the array does, taken alone, because of exposed grounded conductors on the structure.

However, most spacecraft power systems are negatively grounded because of a dearth of space-qualified electronics with the positive ground polarity. Although very efficient PMAD systems that use buck-boost converters to change the ground polarity and voltage now exist (Button et al., 2002), most spacecraft busses do not incorporate this technology yet.

For instance, when the ISS charging possibilities were first being considered, it was estimated that changing the power system ground from negative to positive would cost at least \$100 M. It was decided

instead to use the plasma contactor mitigation strategy detailed below, which ended up costing less than \$35 M.

A variant of this technique uses a center-tapped array but will cut the maximum structure potential only to about half of the solar array string voltage. Grounding the power system at about 90 percent of its maximum positive voltage would be nearly ideal, since it should place the spacecraft ground at near the plasma potential.

### D.2.2 Plasma Contactors

A device that makes good contact with the surrounding plasma can effectively ground its point of contact. If the device is a large sheet of metal, then it will dominate current collection and stay near plasma potential. However, for this solution to work, the sheet of conductor must be much larger than the effective electron-collecting area of the solar array. In the case of the ISS, for instance, the metal sheet would need hundreds or thousands of square meters of ram ion collecting area to be effective. In LEO, the drag produced by such a large area would be prohibitive.

Electron guns were used on PIX-II and PASP Plus (Guidice et al., 1997) to emit the electrons being collected by high-voltage solar arrays and thus to prevent charging, but such devices are limited by space charge considerations to low emitted electron currents. A better solution is a device that is not limited by space charge considerations (i.e., a plasma contactor).

A plasma contactor generates a high-density plasma cloud, which expands and makes good electrical contact with the ambient plasma. Usually a hollow cathode device is used to emit a xenon plasma (Davis et al., 1986) whose space charge is nullified by nearly equal densities of electrons and ions in the emitted cloud. The very mobile electrons carry current into the surrounding ambient plasma. This current can be very large. For instance, the ISS PCU device has a hollow cathode element smaller than a little finger but can emit up to 10 amps of continuous electron current. In the case of ISS, the PCU acts like a ground rod at its location to effectively ground (to within about 20 V) the structure to the ambient plasma. Of course, at other points, the structure will still have the  $v_{xBI}$  potential away from the ambient plasma. In LEO,  $v_{xB}$  amounts to a maximum of only about 1/3 V per meter, which is only about 40 V from end to end on the largest structure ever orbited (the ISS), so at all points the potential is outside the arcing range (-50 V or less).

Although a hollow cathode plasma contactor requires xenon gas vessels, refurbishment, and so forth, other devices with little or no expellant are being explored for use as plasma contactors. As an example, a plasma contactor made of microtips and microscopic holes, with an imposed bias, could theoretically emit electrons over a wide area and thus defeat the space charge limitation with no working gas. A patent has been awarded for using such a device to control spacecraft potentials in GEO (Katz, 2001), but making such a device work reliably in the high-density plasma of LEO is no small feat and has not yet been done.

### D.2.3 Encapsulation

Encapsulating the high-voltage conductors on solar arrays and such can have a two-fold beneficial effect. First, it can prevent arcing at triple-points by keeping the plasma away from the conductor-insulator junctions. Second, it can prevent electron collection by the arrays and thus prevent spacecraft charging at its root cause. As of the year 2002, the only arrays ground tested in a simulated LEO plasma to withstand bias voltages greater than -300 V were those with the arrays or cells encapsulated or fully grouted (Brandhorst and Best, 2001; Ferguson et al., 2002; Reed et al., 2001).

When encapsulating arrays or cells, one must not ignore several caveats. First, no air must be entrained anywhere. While this seems obvious, at least one set of encapsulated test arrays sent to NASA's GRC had sufficient air entrained that the coating delaminated and swelled under vacuum. In fact, so much air was entrained that the test articles under vacuum appeared to swell up like plastic balloons. In cases where only a very small amount of air is trapped, visible effects may not occur, yet the trapped air will present the danger of Paschen breakdown under high voltage (see Figure D.1).

Second, the encapsulant thickness must be sufficient to withstand dielectric breakdown at the highest array voltage. For thin-film arrays, this consideration can contribute significantly to the array mass. In keeping with the discussion on structure arcing, it is important that thin-film encapsulants be tested under voltage in a plasma environment, rather than relying solely on published dielectric strengths.

Third, the encapsulant must not be able to peel away from high-voltage components, or Paschen breakdown can occur because of entrained outgassing products that can reach sufficiently high neutral pressures. Figure D.1 shows the Paschen breakdown curve for a number of gases for DC to low-frequency AC (~ 400 Hz) for parallel plates (Dunbar, 1988). Here it can be seen that for a wide range of pressure distance combinations, the Paschen minima are typically around a few hundred volts for common gases. Helium gas has the lowest Paschen minimum voltage. Most outgassing products have not had their Paschen curves measured. In the case of solar arrays, a coverglass that covers many cells must also make allowances for escape of outgassing products from adhesives. It must be treated for all intents and purposes as a vented enclosure (discussed in Section D.3).

Fourth, the encapsulant must be able to withstand other aspects of the space environment for its design lifetime. Atomic oxygen, micrometeoroids and debris, and UV and X-ray exposure are some of the threats to the encapsulant. Glass stands up well to all of these environments. Some plastics do not.

### D.3 Vented Enclosures

It should be pointed out that the use of a sealed pressure vessel eliminates environmental interactions and that this applies to plasma interactions as well. In the more general case, high-voltage systems other than solar arrays are usually contained in a vented enclosure. To avoid plasma interactions, care must be taken that plasma does not enter the enclosure and interact with exposed conductors inside. The key requirement on such systems is that all openings must be smaller than the plasma Debye length, which depends on the plasma density and temperature. One can readily estimate the maximum opening consistent with such a requirement.

The plasma will be capable of maintaining electric fields over a distance of approximately one Debye length, which is given by

$$\lambda_D = (kT_e/4\pi n e^2)^{1/2} = 7.43 \times 10^2 (T_e/n)^{1/2} \text{ cm}, \quad (\text{eq. D.1})$$

where  $k$  is the Boltzmann constant,  $T_e$  is the electron temperature in eV,  $n$  is the electron density in  $\text{cm}^{-3}$ , and  $e$  is the charge of the electron. Thus, openings in grounded conductors smaller than this will essentially show the ground potential all across the opening. At a plasma density of  $4 \times 10^6 \text{ cm}^{-3}$ , one finds a minimum Debye length from 0.12 cm at 0.1 eV to 0.17 cm at 0.2 eV.

Openings in the experiment electronics enclosure must have smaller dimensions than this minimum to prohibit plasma interactions with the experiment electronics. Larger openings can be used if covered with an electrically connected conductive wire mesh of spacing less than the minimum Debye length. To provide a reasonable margin of safety, a general guideline is that no opening should exceed 0.10 cm in its largest dimension.

## D.4 Arcing

### D.4.1 On-Orbit Arc Detection

Usually in ground tests of solar arrays under simulated LEO plasma conditions, and especially when the array can undergo sustained arcing, an arc detection circuit is employed. It essentially looks for a rapid positive change of the array or arc site potential toward the plasma potential, since this must happen when electrons are emitted during an arc. For example, a current probe can be placed around the solar array string output wire, and changes in the string current will indicate a transient in the line. Additionally, one can sense the emission of copious electrons with a Langmuir probe placed above the array and use this for arc detection. Further, the broadband EMI from an arc can be used for arc detection. On PASP Plus, EMI detectors were used to determine when and where arcs occurred on-orbit. In any event,



electrical detection techniques can unambiguously detect an arc when it occurs. Then, in ground tests, the power supply is electrically disconnected from the array, to prevent the occurrence of sustained arcs that might damage or destroy the sample. Sometimes, the power supply is disconnected only when the arc continues for longer than 200 ms, for example, so that arcs that would be permanently sustained can be counted but not allowed to wreak their damage on the sample. Such arc detection and array protection circuits can be built and used on solar arrays operating on-orbit. If this is done, rather than totally preventing arcs, the damage to the arc site is limited or prevented. In this way, the arcs that do occur become acceptable.

It must be obvious that the power to the LEO spacecraft will be interrupted whenever the array arc-circuit is broken. Rather than being the first line of defense against arcing, arc detection and array shunting must be used only when the disruptions they cause will be infrequent.

#### D.4.2 Prevention Techniques

The design of a solar array must consider the plasma environment and interactions with that environment. Arc prevention is extremely important. The following techniques have been shown in ground and flight tests to prevent arcs or to minimize their damage:

- a. If possible, use array string voltages of less than 55 V. No trigger arcs have been seen on LEO arrays of less than about 55 V string voltage or on anodized aluminum even under simulated micrometeoroid bombardment. Solar arrays coming out of eclipse will generate more voltage than when they operate at their max power point.
- b. If solar array cell edges or interconnects are exposed to the LEO plasma and string voltages are greater than 55 V, then the strings should be laid out on the substrate such that no two adjacent cells have a voltage difference of greater than 40 V. Sometimes a leapfrog arrangement will be sufficient. In other high-voltage arrays, the strings should be arranged parallel to each other. Serpentine strings can be used to prevent the array width from becoming prohibitive. If the string layout cannot be modified to prevent cells with more than a 40 V difference being adjacent to each other (anything less than about 1 cm can be considered adjacent), then the total string voltage must be kept low enough that the initial (trigger) arcs do not take place. The lowest known array trigger arcing has occurred on thin-coverglass cells at about 75 V (PASP Plus results; (Soldi and Hastings, 1995).
- c. For array string voltages greater than about 75 V, trigger arcs in LEO can be completely prevented by encapsulating the cell or array edges so that they do not see the ambient plasma. The caveats mentioned in Annex D, Section D.2.3 ("Encapsulation"), must be taken seriously. If encapsulation is not possible, then a thorough array bakeout on-orbit (one week at 100<sup>0</sup> C or more) can get rid of contaminants and prevent trigger arcing up to about -300 V, or possibly more (Vayner et al., 2002). Recontamination can occur on "dirty" spacecraft (spacecraft with excessive venting, cold gas nozzles, etc.). Good encapsulation can prevent arcing up to a 1000 V string voltage. Arrays of 300 V and greater string voltage must be fully encapsulated in order to prevent arcing. Caveats involved under "Encapsulation" in Annex D, Section D.2.3, must be followed.
- d. Sustained (or continuous) arcs can occur whenever trigger arcs occur and adjacent cells have more than 40 V potential differences. However, sustained arcs, in addition to this voltage threshold, have a current threshold below which they will not occur. It is believed that the current threshold is greater than about 1-1.5 amp. If the current produced by each cell is above this threshold, then a single string can sustain arcs. If each cell is below this current threshold, then isolating separate strings of solar cells from each other will prevent other strings from "feeding" the arc site and will prevent sustained arcs. This isolation can be achieved by using blocking diodes in each string. EOS-AM1, now called Terra, is an example (Snyder et al., 2000). Care must be taken that the power bus and/or other components do not have the conditions necessary for sustained arcing. On the Terra arrays, for instance, it was

found that diodes used to block interstring currents did not prevent the bus power traces from undergoing sustained arcing events. Covering all exposed bus conductors with Kapton® insulation finally solved the problem. Low-outgassing RTV can be used to cover bare conductors as well.

- e. RTV grout between adjacent solar cells and strings that have a high voltage with respect to each other has been shown to effectively block sustained arcs between cells and strings. The degree of coverage is important in determining the final voltage threshold for sustained arcing.
- f. Finally, although design and construction are important in preventing trigger arcs and sustained arcs, each new solar array design implementation must be verified by testing in a simulated LEO plasma chamber before it can be sure not to arc. This is a critical step. The test bias voltage relative to the plasma should include the maximum array voltage when the arrays exit eclipse (or the highest floating potential expected on the spacecraft chassis). The interstring voltage should be at least as great as that expected anywhere on the solar arrays on orbit. A test should be conducted at the low temperatures and high open circuit voltages experienced at eclipse exit.

## Annex E Modeling (Informative)

### E.1 Spacecraft Charging

The severity and widespread nature of plasma interactions have led to a considerable investment in the development of computer models. Many empirical and semi-empirical models with varying levels of capability and fidelity are available. Because the physics of current collection is fully embodied in Poisson's equation, a first-principles treatment is both possible and practical. A comprehensive code developed for LEO was NASCAP/LEO. This code was a follow-on to the original NASCAP computer program, which dealt only with spacecraft charging in geosynchronous-type environments (Katz et al., 1981; Mandell et al., 1981; Rubin and Stevens, 1983).

A finite element-based solver, NASCAP/LEO reasonably approximated the geometry of sophisticated satellites or subsystems. With an expandable materials database, it iteratively solved for the potentials on all surfaces and electric fields in nearby space. The existing code was designed for mainframe and workstation deployment, made many approximations necessitated by the limited desktop computing power of the mid-1980s, and had a reputation for having a steep learning curve. It was nevertheless credited with considerable success and, in the hands of a skilled user, was powerful and reliable.

A new version, developed by NASA in conjunction with the U.S. Air Force, and called the NASA/Air Force Spacecraft Charging Analyzer Program (Nascap-2K), is now available. Nascap-2k incorporates lessons learned over the past 30 years, takes full advantage of modern computing power with much more sophisticated algorithms, and is designed for easier use and for modern microcomputers. Capable of modeling current collection and charging under LEO, GEO, and auroral conditions, Nascap-2k supersedes both NASCAP and NASCAP/LEO (Neergaard et al., 2001).

Of special interest here is a computer-modeling tool called Environments WorkBench (or EWB, see Chock and Ferguson, 1997), which can run on a desktop or laptop personal computer (PC). EWB uses simple models of plasma environments and interactions to predict LEO spacecraft floating potentials, for example. Over 100 models of the LEO environment are included in this integrated code, and over 50 interactions models, including the plasma interactions models considered here. EWB was extensively funded by the ISS, and a variant of it is the official ISS plasma interactions tool. Detailed and extensive models of various ISS configurations are included with EWB, although the code can also be used to create and model a wide variety of different LEO spacecraft. Both EWB and Nascap-2k are subject to International Traffic-in-Arms Regulations (ITAR) restrictions, and at present cannot be given to non-U.S. citizens. For more information on distribution of these codes, please see <http://see.msfc.nasa.gov>. European spacecraft charging modeling codes include the ESA Space Environment Information System (SPENVIS) family of codes, available at <http://www.spennis.oma.be>.

#### E.1.1 An Example

Figure E.1 shows a plot with the result of an EWB calculation of potentials on the ISS mission build 12A. Here, a special model of ISS solar array current collection and ISS solar array mast wire current collection, based on PCU measurements of previous ISS mission builds, was constructed by Science Applications International Corporation (SAIC).

The potentials shown were determined by iteration until the current balance equation was satisfied for ISS as a whole. In this figure, the PCUs were turned off to investigate charging under PCU failure conditions. It is clear that for this configuration, most of the vehicle charging is due to  $v \times B \cdot l$  effects across the long truss and solar array segments. Not shown are the EWB screens that detail the potentials and currents on each ISS component. EWB can also easily calculate the time dependence of all of the ISS potentials during an orbit and their dependencies on plasma parameters and changes in the detailed ISS configuration. Of course, EWB can also be used for other spacecraft. Figure E.1 illustrates only how complex a system can be analyzed with this extremely useful computer code. This is the 12A mission configuration at an arbitrary point in the orbit. The deviation from right-front to left-rear in the picture is due

to  $v \times B$  effects. In this screen shot, the velocity is toward the lower left, and the magnetic field is somewhat vertical.




Figure E.1 — An EWB contour plot of ISS potentials (taken from Ferguson and Hillard, 2003, p. 41)

## E.2 Arcing

The process of electrical breakdown has not lent itself well to modeling, and solar arrays are no exception. The computer codes mentioned in E.1 for determining potentials on all surfaces and electric fields in nearby space are certainly useful for solar arrays, but the actual initiation of an arc is extremely difficult to predict. Despite worldwide efforts to fund theoretical work in this area, no reliable model for arc initiation exists. Experience has shown that knowledge of the potential distribution is at best a rough indicator of the probability of an arc. The complex geometries involved in cell construction and string layout along with the poorly understood properties of adhesives, coatings, and other materials often result in laboratory tests' behaving in unexpected ways. This emphasizes the need for testing of solar arrays in suitable space environmental chambers and ultimately as part of space experiments.

## Annex F Testing (Informative)

The importance of testing in mitigating LEO spacecraft charging and its effects cannot be overestimated (Ferguson, 1996). A valid LEO arc test must take place in a vacuum of pressure less than about 250 microTorr. It must generate a plasma with an electron density of more than  $10^5$  electrons per cubic centimeter. The electron temperature should be less than about 3 eV but the lower the better, and the plasma should not be a streaming plasma (it should be essentially isotropic) unless special diagnostic techniques are used to determine the plasma properties. The sample temperature must be as low as the lowest sunlit temperature on-orbit. To ensure that arcs will not occur in space, a sufficiently long waiting time must be used at each bias voltage that the error bars on the measured arc rate assure that it is statistically significantly lower than the threshold arc rate. If the threshold is unknown, then see Ferguson (1986) for a proper technique for establishing it in ground tests. Be aware that the arc rate at a given voltage usually decreases with time in the plasma; do not confuse this with an increasing arc voltage threshold (Ferguson, 1986). The chamber used for the tests should be big enough that the plasma sheath of the biased sample does not reach the chamber walls. Finally, use solar array design and building techniques that have been space qualified, whenever possible. An excellent reference for LEO test conditions and procedures is ISO 11221.

In LEO plasma testing, the array or anodized aluminum potential relative to the plasma (which in space is caused by spacecraft charging) is usually obtained by biasing the sample with a DC power supply. To investigate transient arcs, one must decouple the DC power supply from the arc current during an arc. This means the bias supply circuit must have a time constant greater than a few hundred microseconds, so the arc can build up and dissipate without being powered by the bias supply. This can be done by putting a large resistance in the arc circuit and incorporating a capacitor to simulate the array or structure capacitance that would be discharged in the arc. For instance, if the on-orbit capacitance connected to the arc site is expected to be 0.1 microfarad, then this value capacitor can be used to provide current during the arc. With such a capacitor, the bias supply circuit can be given an RC time constant of 1 millisecond (much greater than the arc time scale) with the use of a 10 k $\Omega$  series resistance. This effectively decouples the bias power supply from the arc. Of course, it also puts an upper limit on the arc rate attainable, because of recharge time considerations.

In non-destructive sustained arc testing, the series resistance should be adjusted to limit the maximum current to that expected in the arc, and a cutoff circuit should be employed to shut off the bias supply after a few hundred microseconds. Experience shows that an arc that continues under such circumstances for more than about 200 microseconds will be sustained. Arc current and/or voltage waveforms should be closely monitored to distinguish between transient and sustained arcs. Videos of arc locations are helpful for diagnostic purposes. If destructive sustained arcs are allowed to occur, then the video can confirm the arc duration.

Testing procedures used at the NASA GRC and MSFC plasma testing laboratories are summarized in Ferguson et al. (2006). For ESA and JAXA testing techniques, see other papers in the same issue of the IEEE Transactions. Again, see ISO 11221 and the schematics given therein for internationally agreed-upon test procedures for arc testing.

Finally, test results are only good for the samples as tested. Aging effects may change materials characteristics substantially. If one wants to prevent arcing at the end-of-life, testing appropriately aged samples is essential.

## Annex G Bibliography

AIAA G-003C-2010 (2010). "Guide to Reference and Standard Atmosphere Models," American Institute of Aeronautics and Astronautics

Bodeau, J.M.; Leung, P.; Tettemer (2001). "ESD scaling relationships for solar arrays," in Proc. Space Power Workshop.

Bonito, N.A.; Bounar, K.H.; McNeil, W.J.; Roth, C.J.; Tautz, M.F.; Vancour, R.P. (August 15, 1996). "Spacecraft Interactions Modeling and Post-Mission Data Analysis." Report Number RXR-96081. Bedford, MA, United States: Radex, Inc.

Brandhorst, H.; Best, S. (March 25, 2001). "Hypervelocity Impact Studies on Solar Cell Modules." Auburn University Report: AU-4-21839.

Button, R.; Brush, A.; Sundberg, R. (Jan 01, 1989). "Development and testing of a 20 kHz component test bed." IECEC-89. Proceedings of the Twenty-fourth Intersociety Energy Conversion Engineering Conference, Washington, D.C., August 6-11, 1989. New York: Institute of Electrical and Electronics Engineers. Vol. 1 (A90-38029 16-20), pp. 605-610.

Button, R.M.; Kascak, P.E.; Lebron-Velilla, R. (Feb 01, 2002). "Digital Control Technologies for Modular DC-DC Converters." NASA/TM-2002-211369.

Carruth, M.R., Jr.; Ferguson, D.C.; Suggs, R.; McCollum, M. (Jan 11, 2001). "ISS And Space Environment Interactions Without Operating Plasma Contactor." Paper presented at 39th Aerospace Sciences Meeting and Exhibit. (Jan 8-11, 2001). Reno, NV.

Chen, F.F. (1965). "Electric Probes," in Plasma Diagnostic Techniques, R.H. Huddleston and S.L. Leonard, eds., Academic Press, New York, NY, pp. 113-200.

Cho, Mengu; Hastings, D.E. (Jan 01, 1991). "Dielectric charging processes and arcing rates of high voltage solar array." AIAA Paper #91-0605 presented at 29<sup>th</sup> Aerospace Sciences Meeting, Reno, NV, Jan 7-10, 1991.

Cho, M.; Hastings, D.E.; Kuninaka, H. (Jan 01, 1990). "Dielectric charging process in high voltage solar cell arcing." Paper presented at proceedings of 17<sup>th</sup> International Symposium on Space Technology and Science. Tokyo, Japan, May 20-25, 1990. Vol. 2 (A92-5345123-12). Tokyo, AGNE Publishing, Inc., 1990, pp. 1421-1426.

Chock, R.C. (1991a). "NASCAP/LEO Simulations of Shuttle Orbiter Charging During the SAMPIE Experiment." Paper presented at Fifth Annual Workshop on Space Operations, Applications, and Research (SOAR '91). Houston, Texas, July 9-11, NASA CP 3127, pp. 655.

Chock, R.C. (1991b). "NASCAP/LEO Simulations, SSF Solar Cell Geometries." Minutes of the Electrical Grounding Tiger Team Meeting, Boeing Trade Zone, Huntsville, Alabama, May 14-17.

Chock, R.; Ferguson, D.C. (1997). "Environments WorkBench – An Official NASA Space Environments Tool." Paper presented at Proceedings of the 32<sup>nd</sup> Intersociety Energy Conversion Engineering Conference. Washington, D.C. IECEC 97452, pp. 753-757.

Cohen, H.A.; Cooke, D.L.; Evans, R.W.; Hastings, D.; Jongeward, G.; Laframboise, J.G.; Mahaffey, D.; McIntyre, B.; Pfizer, K.A.; Purvis, C. (Oct 01, 1986). "Working group report on advanced high-voltage high-power and energy-storage space systems." Space Technology Plasma Issues in 2001, Jet Propulsion Laboratory.

"Computational procedure used in the development of the MSFC modified Jacchia model atmosphere." (1970). CE Environment criteria guidelines for use in space vehicle development, MSFC. SEE N70-40876 23-30.

Cooke, D.L.; Talbot, J.; Shaw, G. (Jan 31, 1994). "Pre-flight POLAR code predictions for the CHAWS space flight experiment." PL-TR-94-2056. Phillips Lab: Hanscom AFB, MA, United States.

Davis, V.A.; Katz, I.; Mandell, M.J.; Parks, D.E. (Sep 01, 1986). "Three dimensional simulation of the operation of a hollow cathode electron emitter on the Shuttle orbiter." Paper 16 presented at NASA, AIAA, and PSN, International Conference on Tethers in Space, Arlington, VA, Sept. 17-19, 1986.

Davis, S.; Stillwell, R.; Andiaro, W.; Snyder, D.; and Katz, I. (1999). "EOS-AM Solar Array Arc Mitigation Design," 34th IECEC, SAE Paper 1999-01-2582.

Dunbar, W.G. (1988). Design Guide: Designing And Building High Voltage Power Supplies. Air Force Wright Aeronautical Laboratories: AFWAL-TR-88-4143, Vol. 2, p. 18.

Ferguson, D.C. (Mar 01, 1985). "Ram-wake effects on plasma current collection of the PIX 2 Langmuir probe," Spacecraft Environment Interactions Technology, pp. 349-357.

Ferguson, D.C. (1996). "The Role of Space Plasma Simulation Chambers in Spacecraft Design and Testing." Thirty-first Intersociety Energy Conversion Engineering Conference Proceedings, Institute of Electrical and Electronics Engineers, pp. 2188-2192.

Ferguson, D.C. (Mar 01, 1986). The voltage threshold for arcing for solar cells in LEO: Flight and ground test results. NASA TM 87259.

Ferguson, D.C.; Gardner, B. (2002). "Modeling International Space Station (ISS) Floating Potentials." AIAA Paper #2002-0933 presented at 40<sup>th</sup> Aerospace Sciences Meeting and Exhibit, Reno, NV, Jan 14-17.

Ferguson, D.C.; Hillard, G.B. (1997). "Lessons for Space Power System Design from the SAMPIE Flight Experiment." AIAA Paper #97-0087 presented at 35<sup>th</sup> Aerospace Sciences Meeting and Exhibit, Reno, NV, January 6-10.

Ferguson, D.C.; Hillard, G.B. (2003). Low Earth Orbit Spacecraft Charging Design Guidelines. NASA/TP—2003-212287.

Ferguson, D.C.; Hillard, G.B.; Snyder, D.B.; Grier, N.T. (1998). "The Inception of Snapover on Solar Arrays: A Visualization Technique." AIAA Paper #98-1045 presented at 36<sup>th</sup> Aerospace Sciences Meeting and Exhibit, Reno, NV, Jan 12-15.

Ferguson, D. C.; Hillard, G. B.; Vayner, B. V.; Galofaro, J. T. (2002). "High Voltage Space Solar Arrays." 53<sup>rd</sup> International Astronautical Congress of the International Astronautical Federation (IAF), Houston, TX, Oct. 10-19, 2002, IAC Paper 02-IAA.6.3.03.

Ferguson, D.C.; Snyder, D.B.; Vayner, B.V.; Galofaro J.T. (1999). "Array arcing in orbit – From LEO to GEO." AIAA Paper #99-0218 presented at 37<sup>th</sup> Aerospace Sciences Meeting and Exhibit, Reno, NV, Jan. 11-14.

Ferguson, D. C.; Vayner, B. V.; Galofaro, J.T.; Hillard, G. B.; Vaughn, J.; Schneider, T. (2005). "NASA GRC and MSFC Space-Plasma Arc Testing Procedures." Proceedings of the 9<sup>th</sup> Spacecraft Charging Technology Conference, Tsukuba, Japan, April 4-8, 2005.

Ferguson, D. C.; Vayner, B. V.; Galofaro, J.T.; Hillard, G. B.; Vaughn, J.; Schneider, T. (2006). "NASA GRC and MSFC Space-Plasma Arc Testing Procedures." IEEE Transactions on Plasma Science, Vol. 34, Number 5, pp. 1948-1958.

Ferguson, D. C.; Brandhorst, H.W., Jr. (2012). "The Role of Electrical Potential Barriers in LEO Spacecraft Charging," AIAA Paper #2012-0717, presented at 50<sup>th</sup> Aerospace Sciences Meeting and Exhibit, Nashville, TN, Jan. 9-12.

- Galofaro, J.T.; Doreswamy, C.V.; Vayner, B.V.; Snyder, D.B.; Ferguson, D.C. (Apr 01, 1999). Electrical Breakdown of Anodized Structures in a Low Earth Orbital Environmental. NASA/TM-1999-209044.
- Galofaro, J.; Vayner, B.; Degroot, W.; Ferguson, D. (Mar 01, 2002). The Role of Water Vapor and Dissociative Recombination Processes in Solar Array Arc Initiation. NASA TM 2002-211328.
- Guidice, D.A.; Davis, V.A.; Curtis, H.B.; Ferguson, D.C.; Hastings, D.E. (Mar 01, 1997). "Photovoltaic Array Space Power Plus Diagnostics (PASP Plus) Experiment," Massachusetts Inst. of Tech. report. AD-A331959 PL-TR-97-1013.
- Hastings, D.E. (1995). "A review of plasma interactions with spacecraft in low Earth orbit," Journal of Geophysical Research. Vol. 100, No. A8, pp. 14457-14483.
- Hastings, D. E.; Cho, M.; Kuninaka, H. (Jan 01, 1992a). "The arcing rate for a High Voltage Solar Array – Theory, experiment and predictions," Journal of Spacecraft and Rockets. Vol. 29, Issue 4, pp. 538-554.
- Hastings, D.E.; Cho, M.; Kuninaka, H. (Jan 01, 1992b). "The arcing rate for a High Voltage Solar Array – Theory, experiment and predictions." AIAA Paper 92-0576 presented at the 30th Aerospace Sciences Meeting and Exhibit, Reno, NV, Jan. 6-9, 1992, p. 3.
- Hedin, A. (1987). "MSIS-86 thermospheric model." Journal of Geophysical Research. Vol. 92, pp. 4649-4660.
- Hickey, M. (1988). The NASA Marshall engineering thermosphere model. NASA-CR-179359.
- Hillard, G.B. (May 01, 1994). "Plasma chamber testing of advanced photovoltaic solar array coupons." Journal of Spacecraft and Rockets. Vol. 31, Issue 3, pp. 530-532.
- Hillard, G.B.; Bailey, S.G.; Ferguson, D.C. (2000). "Anodized Aluminum as Used for Exterior Spacecraft Dielectrics." Sixth Spacecraft Charging Technology Conference, AFRL-VS-TR-20001578, pp. 111-113.
- Hoeber, C.F.; Robertson, E.A.; Katz, I.; Davis, V.A.; and Snyder, D.B. (1998). "Solar array augmented electrostatic discharge in GEO," AIAA Paper 98-1401, 17th International Communications Satellite Systems Conference and Exhibit, Yokohama, Japan, Feb. 23-27, 1998.
- Holm, R. (1999). Electric Contacts: Theory and Applications. Fourth edition, Springer Verlag. Intersociety Energy Conversion Engineering Conference. Washington, D.C. IECEC 97452, p. 753.
- ISO 11221 (2011). Space systems — Space solar panels — Spacecraft charging induced electrostatic discharge test methods.
- Jongeward, G.A.; Katz, I.; Mandell, M.J.; Parks, D.E. (Dec 01, 1985). "The role of unneutralized surface ions in negative potential arcing." IEEE Transactions on Nuclear Science. Vol. NS-32, pp. 4087-409.
- Katz, Ira, 2001. Spacecraft solar array charging control device. U.S. Patent #6,177,629.
- Katz, I.; Cassidy, J.J.; Mandell, M.J.; Parks, D.E.; Schnuelle, G.W.; Stannard, P.R.; Steen, P.G. (Feb 01, 1981). "Additional application of the NASCAP code. Vol. 1: NASCAP extension." NASA-CR-165349.
- Katz, I.; Davis, V.A.; and Snyder, D.B. (1998). "Mechanism for spacecraft charging initiated destruction of solar arrays in GEO," AIAA Paper 98-1002, 35th Aerospace Sciences Meeting & Exhibit, January 12-15, 1998, Reno, NV.
- Kennerud, K.L. (Mar 01, 1974). High voltage solar array experiments. NASA-CR-121280.
- Khayms, V.; Kannenberg, K. (2006). "Long Term Exposure of aBiased Solar Array to a Hall Thruster Plume." AIAA/ASME/SAE/ASEE Joint propulsion Conference, 10-13 July.
- King, R.L. (1978). A computer version of the US Standard Atmosphere. NASA-CR-150778.



Koontz, S. (Feb. 22, 2005). "EVA Shock Hazard (ISS-EVA-312) Assessment and Control: 1) Strategy, Methods, and Forward Plan. 2) VIPER/PHALCON Role and Requirements," ISS VIPER Working Group.

Latham, R. (1995). *High Voltage Vacuum Insulation: Basic Concepts and Technological Practice*, Academic Press Inc., San Diego, CA.

Leung, P. (Nov 01, 1985). Characterization of EMI generated by the discharge of a VOLT solar array. NASA-CR-176537, p. 15.

Leung, P; Tettemer, G. (2012). "Radio Frequency Noise Generated by Primary Solar Array Arcs." 12th Spacecraft Charging Technology Conference, Kitakyushu, Japan, May 14-17.

Likar, J.J.; Bogorad, A.L.; Goodzeit, N.E.; Galofaro, J.T.; and Mandell, M.J. (2006) "Interaction of Charged Spacecraft with Electric Propulsion Plume: On Orbit Data and Ground Test Results." IEEE TNS, Vol. 53, No. 6, Part 1, pp.3602-3606.

Maejima, H.; Kawakita, S.; Kusawake, H.; Takahashi, M.; Goka, T.; Kurosaki, T.; Nakamura, M.; Toyoda, K.; Cho, M. (2004). "Investigation of Power System Failure of a LEO Satellite." AIAA 2004-5657. 2nd International Energy Conversion Engineering Conference, Providence, RI, 16-19 August.

Malter, L. (1936). "Anomalous Secondary Electron Emission: A New Phenomenon." Phys. Rev., Vol. 49, p. 478.

Mandell, M.J.; Katz, I.; Stannard, P.R. (Oct 01, 1981). Additional extensions to the NASCAP computer code, Vol. 1. NASA-CR-167855.

Metz, R.W. (1986). "Circuit Transients Due to Arcs on a High Voltage Solar Array." Journal of Spacecraft and Rockets, Vol. 23, Issue 5, pp. 499-504.

Miller, W.L. (Mar 01, 1985). "An investigation of arc discharging on negatively biased dielectric conductor samples in a plasma." Spacecraft Environmental Interactions Technology, pp.367-377 (SEE N85-22470 13-18).

Murphy, G.; Croley, D.; Ratliff, M.; Leung, P. (1992). "The Role of External Circuit Impedance in Dielectric Breakdown." AIAA Paper #92-0821 presented at 30<sup>th</sup> Aerospace Sciences Meeting and Exhibit, Reno, NV, January 6-9.

Murphy, G.; Pickett, J.; Dangelo, N.; Kurth, W.S. (Oct 01, 1986). "Measurements of plasma parameters in the vicinity of the Space Shuttle." Planetary and Space Science. Vol. 34, pp. 993-1004.

NASA-HDBK-4002A (2011) Mitigating In-Space Charging Effects - A Guideline

NASA-STD-(I)-4005 (2006) Low Earth Orbit Spacecraft Charging Design Standard, Interim.

NASA-STD-4005 (2007) Low Earth Orbit Spacecraft Charging Design Standard

NASA-HDBK-4006 (2007) Low Earth Orbit Spacecraft Charging Design Handbook

Neergaard, L.E.; Minow, J.; McCollum, M.; Cooke, D.; Katz, I.; Mandell, M.; Davis, V.; Hilton, J. (Jan 12, 2001). "Comparison of the NASCAP/GEO, POLAR, SEE Charging Handbook, and NASCAP-2K.1 Spacecraft Charging Codes." In the proceedings of the 7<sup>th</sup> Spacecraft Charging Technology Conference Noordwijk, April 23-27.

Parks, D.E.; Jongeward, G.A.; Katz, I.; Davis, V.A. (Jan 01, 1986). "Threshold determining mechanisms for discharges in high voltage solar arrays." AIAA Paper #86-0364 presented at AIAA, 24<sup>th</sup> Aerospace Sciences Meeting, Reno, NV, Jan. 6-9.

Perez de la Cruz, C.; Hastings, D.E.; Ferguson, D.C.; Hillard, G.B. (May 01, 1996). "Data analysis and model comparison for solar array module plasma interactions experiment." Journal of Spacecraft and Rockets. Vol. 33, Issue 3, pp. 438-446.

Picone, J.M., Hedin, A.E., Drob, D.P., and Aikin, A.C. (2003), "NRL-MSISE-00 Empirical Model of the Atmosphere: Statistical Comparisons and Scientific Issues," *J. Geophys. Res.*, doi:10.1029/2002JA009430.

Prag, A.B. (1983). A comparison of the MSIS and Jacchia-70 models with measured atmospheric density data in the 120 to 200 km altitude range. NASA TR-0083 (3940-04)-1.

Purvis, C.K. (1985). "The Pix-II Experiment: An Overview," *Spacecraft Environmental Interactions Technology*, 1983, NASA CP-2359, AFGL-TR-85-0018, p. 321.

Purvis, C.K.; Garrett, H.B.; Whittlesey, A.C.; Stevens, N.J. (1984). Design Guidelines for Assessing and Controlling Spacecraft Charging Effects. NASA TP-02361.

Purvis, C.K.; Ferguson, D.C.; Snyder, D.B.; Grier, N.T.; Staskus, J.V.; and Roche, J.C. (1986). Environmental Interactions for Space Station and Solar Array Design. Preliminary. NASA Lewis Research Center.

Raitt, W.J.; Siskind, D.E.; Banks, P.M.; Williamson, R.R. (Apr 01, 1984). "Measurements of the thermal plasma environment of the Space Shuttle." *Planetary and Space Science*. Vol. 32, pp. 457-467.

Reed, B.J.; Harden, D.E.; Ferguson, D.C.; Snyder, D.B. (2001). "Boeing's High Voltage Solar Tile Test Results." *Seventeenth Space Photovoltaic Research and Technology Conference*, Ohio Aerospace Institute, September 11-13.

Rubin, A.G.; Stevens, N.J. (Jan 25, 1983). "High voltage solar array models and Shuttle tile charging." *AFGL Proc. of the AFGL Workshop on Nat. Charging of Large Space Struct. in Near Earth Polar Orbit*, pp. 333-336.

Samir, U.; Stone, N.H.; Wright, K.H. (Jan 01, 1986). "On plasma disturbances caused by the motion of the Space Shuttle and small satellites – A comparison of in situ observations." *Journal of Geophysical Research*. Vol. 91, pp. 277-285.

Sargent, Noel B. (2002). Private communication (NASA GRC).

Schneider, T.A.; Carruth, M.R., Jr.; Finckenor, M.M.; Vaughn, J.A.; Heard, J.; Ferguson, D. (2002). "An Experimental Investigation of the Effects of Charging on the International Space Station," *Proceedings of the 7<sup>th</sup> Spacecraft Charging Technology Conference*, Noordwijk, Netherlands, April 23-27, 2001.

Snyder, D.B. (Jan 01, 1984). Characteristics of arc currents on a negatively biased solar cell array in a plasma. NASA-TM-83728.

Snyder, D.B. (1995). "Dynamic Interactions Between Ionospheric Plasma and Spacecraft," 75th Anniversary U.R.S.I. Symposium, "Space and Radio Science", Brussels, Belgium, 26-27 April 1995.

Snyder, D.B.; Ferguson, D.C.; Vayner, B.V.; Galofaro, J.T. (2000). "New Spacecraft Charging Solar Array Failure Mechanism." *Sixth Spacecraft Charging Technology Conference*, AFRL-VS-TR-20001578, pp. 297-301.

Snyder, D.B.; Tyree, E. (Jan 01, 1984). The effect of plasma on solar cell array arc characteristics. NASA-TM-86887, and AIAA-85-0384, p. 6.

Snyder, D.B.; Vayner, B.V.; Ferguson, D.C. (1998). Private communication (NASA GRC).

Soldi, James D.; Hastings, D.E. (Sept 01, 1995). "Arc Rate Simulation and Flight Data Analysis for the PASP Plus Experiment." MIT report AD-A301837, PL-TR-95-2126.

Stone, Nobie H.; Raitt, W.J. (Jan 01, 1998). The TSS-1R Electrodynamic Tether Experiment: Scientific and Technological Results. NASA Technical Report, NASA, Marshall Space Flight Center.

Stone, Nobie H.; Wright, K.H.; Winningham, J.D.; Papadapolous, K.; Zhang, T.X.; Hwang, K.S.; Wu, S.T.; Samir, U. (Jan 01, 1998). "A Review of Scientific and Technological Results from the TSS-1R Mission." Paper presented at the Tether Technology Interchange Meeting, NASA, Marshall Space Flight Center.

Szalai, K.J.; Bonifazi, C.; Joyce, P.M.; Schwinghamer, R.J.; White, R.D.; Bowersox, K.; Schneider, W.C.; Stadler, J.H.; Whittle, D.W. (May 03, 1996). TSS-1R Mission Failure Investigation Board. NASA-TM-112426.

Upschulte, B.L.; Marinelli, W.J.; Carleton, K.L.; Weyl, G.; Aifer, E.; Hastings, D.E. (May 01, 1994). "Arcing of negatively biased solar cells in a plasma environment." *Journal of Spacecraft and Rockets*. Vol. 31, Issue 3, pp. 493-501.

"U.S. standard atmosphere" (1976). NOAA. NOAA-S/T-76-1562.

Vaughan, W., (2010), Guide to Reference and Standard Atmosphere Models, BSR/AIAA, G-003C-2010.

Vaughn, J.A., "Plasma Interactions with a Negative Biased Electrodynamic Tether," 8<sup>th</sup> Spacecraft Charging Technology Conference, Huntsville, AL, October 2003.

Vaughn, J.A.; McCollum, M.B.; Kamenetzky, R.R. (May 01, 1997). "TSS-1R Failure Mode Evaluation." Thirty-first Aerospace Mechanisms Symposium, NASA Marshall Space Flight Center, pp. 309-320.

Vaughn, J.A. et al. (2004). "Review of ProSEDS Electrodynamic Tether Development," AIAA 2004-3507, 41<sup>st</sup> Joint Propulsion Conference, Fort Lauderdale, FL, July 12-14.

Vayner, B.V.; Doreswamy, C.V.; Ferguson, D.C.; Galofaro, J.T.; Snyder, D.B. (1998). "Arcing on Aluminum Anodized Plates Immersed in Low Density Plasmas," *Journal of Spacecraft and Rockets*, 35, 6, p. 805.

Vayner, B.; Galofaro, J.; Ferguson, D.; deGroot, W.; Thomson, C.; Dennison, J.R.; Davies, R. (Nov 01, 1999). The Conductor-Dielectric Junctions In a Low Density Plasma. NASA-TM-1999-209408.

Vayner, B.; Galofaro, J.; Ferguson, D. (Jul 01, 2001). Arc Inception Mechanism on a Solar Array Immersed in a Low-Density Plasma. NASA/TM-2001-211070.

Vayner, B.; Galofaro, J.; Ferguson, D.; Degroot, W. (2002). Electrostatic Discharge Inception on a High-Voltage Solar Array. NASA-TM-2002-211329.

Vayner, B.V.; Galofaro, J.T.; Ferguson, D.C. (2002) "Interactions of High-Voltage Solar Arrays with Their Plasma Environment: Ground Tests." *Journal of Spacecraft and Rockets*, vol. 41 no. 6 (1042-1050).

Vayner, B.V.; Galofaro, J.T.; Ferguson, D.C. (2006) "Solar Array in Dense Plume Plasma." AIAA Plasmadynamics and Lasers Conference, 6-8 June.

Zhang, T. X.; Hwang, K. S.; Wu, S. T.; Stone, N. H.; Chang, C. L.; Drobot, A.; Wright, K. H., Jr. (Jan 01, 2000). Satellite Motion Effects on Current Collection in Low Earth Orbit. NASA Technical Reports Document ID: 20000110580.



# **American Institute of Aeronautics and Astronautics**

**1801 Alexander Bell Drive, Suite 500  
Reston, VA 20191-4344**

**[www.aiaa.org](http://www.aiaa.org)**

**ISBN 978-1-62410-246-2**